

INDEX OF AUTHORS' NAMES.

ABSTRACTS. 1882.

A.

- Abeles, M., elementary composition of glycogen, 491.
- Abney, W. de W., effect of the spectrum on haloid salts of silver, and mixtures of the same, 565.
- ferro-oxalate-citrate developer, 1009.
- spectrum impressed on silver chloride, and its bearing on silver printing in photography, 2.
- violet phosphorescence of calcium sulphide, 677.
- Abney, W. de W., and R. Festing, influence of molecular grouping in organic bodies on their absorption in the infra-red region of the spectrum, 130.
- Adams, W. G., secondary batteries, 352.
- Agthe, E., determination of phosphorus in iron and steel, 338.
- Aillaud, waters of the Isthmus of Panama, 1178.
- Aitken, A. P., experiments at the stations of the Highland Agricultural Society, 767.
- Aitken, J., colour of the Mediterranean and other waters, 1017.
- Albert, E., change in colour-tone of spectral colours and pigments by diminution in intensity of the light, 1153.
- Alberti, R., peat, and manures prepared with it, 244.
- Alén, J. E., derivatives of δ - and ϵ -dichloronaphthalene, 409.
- Alessi. See Balbiano.
- Alexejeff, P., azocumic acid, 971.
- crystalline form of azobenzene, 965.
- Alexejeff, W., aqueous solutions of salicylic acid, 1293.
- phenol hydrate, 611.
- Allard and others, experiments with the Faure secondary battery, 680.
- Allen, A. A., relative proportions of olefines in shale and petroleum products, 100.
- Allen, A. H., separation of hydrocarbon oils from fat oils, 108.
- Allen, C. L., analysis of wulfenite, from Ruby Hill, Eureka Co., Nevada, 20.
- Allessandri, P. E., active principles of *Buxus sempervirens*, 744.
- extraction of alkaloids by means of oxalic acid, 1003.
- Amagat, E. H., elasticity of rarefied gases, 1259.
- Ambuhl, examination of butter, 110.
- Amthor, C., estimation of tartaric acid and of potassium tartrate in wine, 1236.
- products of the dry distillation of terpenylic acid, 44.
- Amthor. See also Musculus.
- André, G., ammoniacal zinc chlorides, 1165.
- heat of formation of calcium oxychloride, 682.
- magnesium oxychlorides, 696.
- Andreasch, R., cyamidamalic acid, 1056.
- dimethylglyoxylcarbamide, a reduction product of cholestrophane, 1054.
- methylalloxantins, 1055.
- synthesis of thiohydantoin by means of thioglycolic acid, 407.
- Andreasch. See also Maly.
- Andresen. See Schmitt.
- Andrews, L. W., a convenient form of air thermometer, 135.
- Andrews. See also Hill.
- Angelin, A., use of crystallised sodium acetate for warmers for railway and other carriages, 114.
- Ångström, K., expansion of water by the absorption of gases, 687.
- Anschütz, R., dextrotartaric and lævomalic acid, 830.
- itaconic, citraconic, and mesaconic acids, 829.
- Anschütz, R., and C. Bennert, action of acetic chloride and acetic acid on fumaric acid, 828.
- Ansdell, G., physical constants of liquid hydrochloric acid, 266.
- Arnaud, a new cinchona alkaloid, 229.
- Arnold, C., estimation of urea by sodium hybromite, 1141.
- free fatty acids in cow's milk, 987.
- new reactions of milk, 109.
- peat as litter, 333.

- Arth, G., action of cyanogen on sodium-menthol, 1213.
 Astaschewski, formation of acid, and the amount of lactic acid in muscle, 539.
 Atkinson, R. W., brewing in Japan, 432.
 Atterberg, A., ethereal oil of *Pinus pumilio*, 410.
 Attfield, J., copying ink for transcribing letters without a press, 128.
 Aubrey-Vitet, G., treatment of waste water, 668.
 Audouynaud, A., and B. Chauzit, passage of rain through the soil, 88.
 Averdam, W., phosphoric acid in Peruvian guano, 1316.
 Augustin, F., daily rainfall, 1227.
 Austen, P. T., and Wibber, F. A., precipitation of titanitic acid, 1234.

B.

- v. Babo, A., bouquet of Rhine wine, 122.
 Baessler, P., analysis of wild vetch, 883.
 Baeyer, A., compounds of the indigo-group, 198, 619, 1100.
 — phenolphthalein anhydride and the constitution of fluorescein, 1096.
 Baeyer, A., and L. Landsberg, synthesis by means of phenylacetylene and its derivatives, 622, 972.
 Baker, A. L., examination of the mother-liquors from salt brines of West Virginia for iodine, 25.
 Balbiano, L., action of sodium ethylate on some brominated compounds of the aromatic group, 168.
 Balbiano, L., and A. Alessi, action of electrolytic hydrogen on bibasic acids of the acetic series, 1185.
 Ballaud, an ancient ostrich egg, 242.
 Baltzer, C., *a*-naphthaquinone anhydride and its derivatives, 204.
 Bamberger, E., action of guanidine carbonate on phenylthiocarbimide in presence of water, 394.
 — compounds of phenylthiocarbimide with acid amides, 393.
 Bamberger, E., and J. Philipp, iodides of arsenic, 367.
 Bamberger, M., action of cement on lead pipes, 1335.
 Bamberger and Fenssner, sodalite from Tlaluanaco, 285.
 Barbsche, C., new reagent for glycerol, 104.
 Barbieri. See Schulze.
 Barrett. See Wood.
 Barth, L., and M. Kretschy, composition of picrotoxin, 412.
 Barth, M., hygienic significance of drinking water, 1142.
 Barth. See also Nessler.
 Bartoli, A., and G. Papasogli, compounds formed in the electrolysis of various liquids by means of carbon electrodes, 58, 406, 850.
 — — electrolysis of phosphoric acid solutions with electrodes of gas-coke and graphite, 852.
 — — electrolysis of various solutions, acid, neutral, and alkaline, with graphite electrodes, 850.
 — — mellogen, a new compound obtained by electrolysis, 850.
 — — synthesis of organic acids by the electrolysis of water with carbon electrodes, 58.
 Batalin, A., influence of light on the formation of red pigment, 641.
 Battut, conversion of waste animal charcoal, 1245.
 Baubigny, H., action of hydrogen sulphide on nickel chloride, 1172.
 — action of hydrogen sulphide on nickel sulphate solution, 805.
 — action of hydrogen sulphide on saline solutions of nickel and other metals of the same group, 1031.
 — action of insoluble metallic sulphides on acid solutions of nickel sulphate in presence of hydrogen sulphide, 928.
 — hydrogen nickel sulphide, 1032.
 Bauer, M., asbestos containing sodium, 475.
 — chemical composition of metaxite from Reichenstein, 481.
 Baumann, E., aromatic substances in the animal body, 514.
 — phenylmercapturic acid, cystine, and serine, 1282.
 Baumann, E., and C. Preusse, synthetic processes in the animal body, 756.
 Baumann, F., active oxygen, 691.
 Baumert, G., action of sodium on lupinine, 873.
 — anhydrolupinine, 873.
 — the lupine alkaloids, 229.
 Baumgarten. See Koch.
 Bayley, T., connection between the atomic weight and the chemical and physical properties of elements, 359.
 Béchamp, A., gastric microzymas and pepsin, 1118.
 — microzymas of the gastric glands and their digestive power; answer to the question, "Does the stomach digest itself?" 1118.
 — microzymas of the gastric juice, 752.
 — origin and function of certain microzymas, 544.

- Béchamp, A., report on a memoir on albuminoids, 984.
- Béchamp, J., pancreatic albuminoids, 1119.
- substances analogous to the ptomaines in digested albuminoid matters, 1115.
- Becker, H., symmetrical nitrotoluidine, 1197.
- Becker, K., creaming by the aid of heat, 124.
- Becker. See also Michaelis.
- Beckh, G., action of light on beer, 122.
- Beckmann, E., barium aluminate and basic halogen salts of barium, 141.
- Beckurts, H., composition and examination of rum, 102.
- magnesium carbonates, 13.
- separation of ptomaines from plant alkaloïds, 1006.
- Becquerel, H., magnetism of the nickeliferous iron of Santa Caterina, 369.
- Bedall, C., and O. Fischer, quinoline, 412.
- Bedall, K., and O. Fischer, α -hydroxyquinoline, 869.
- Bedson, P. P., and W. C. Williams, determination of the specific refraction of solid bodies in solution, 351.
- Behr, A., crystallised anhydrous grape-sugar, 706.
- Behrend, R., action of sulphonyl chloride on dimethylamine hydrochloride, 164.
- dimethylsulphaminic acid, 1282.
- substituted sulphamides and amidosulphuryl chloride, 1282.
- Beilstein, F., St. Petersburg rhu-barb, 1126.
- Beilstein, and L. Jawein, determination and separation of metals, 97.
- Beilstein and Kurbatoff, constitution of naphthalene derivatives, 62.
- Beilstein, F., and E. Wiegand, angelica oil, 1300.
- isodibromosuccinic acid, 1051.
- preparation of propylene, 1038.
- propylene bromide, 1038.
- some reactions of ethylene bromide, 1179.
- Bell, J. C., analysis of grape-juices, and unfermented and other wines, 81.
- Bellucci, decolorising properties of hydrogen sulphide, 781.
- Bemmelen, J. W. v., compounds of some solid hydrated dioxides with acids, salts, and alkalis, 571.
- Bender, G., preparation of paramidostyrene and paracoumaric acid from paranitrocinnamic acid, 201.
- Benecke, amount of cholesterin in the human brain, 78.
- Benedikt. See Weselsky.
- Bennert. See Anschütz.
- Ben-Saude, A., analcime, 285.
- Benz, G., amidoethylbenzene and ethylorthamidotoluene, 1284.
- Berend, L., quinoline derivatives, 530.
- Berdet. See Cailletet.
- Bernbeck, C., flour rendered uneatable by free fatty acids, 123.
- improved mode of preparing violet syrup, 248.
- Bernheimer, O., products obtained by the roasting of coffee, 230.
- transformation products of glutaric or normal pyrotartaric acid, 1189.
- Bernthsen, A., composition of sodium hyposulphite, 465.
- nomenclature of carbonic acid derivatives, 381.
- postscript to the article on tetraphenylthiocarbamide by Bernthsen and Friese, 1299.
- Bernthsen, A., and G. Friese, normal dithiourethanes, 966.
- tetraphenylthiocarbamide, 1089.
- Berry, R. A., hydrated barium nitrate, 13.
- Bersch, J., gelatinised grain for brewing, 1337.
- preservation of must by means of salicylic acid, 1010.
- Bersenlaublingen, E., preservation of molasses waste, 651.
- Bert, P., richness in oxygen of the blood of animals living in elevated regions, 1120.
- Bert, P., and P. Regnard, action of hydrogen dioxide on ferments, &c., 1122.
- Berthelot, absorption of gases by platinum, 1022.
- conversion of carbon oxysulphide into carbamide and thiocarbamide, 823.
- decomposition of metallic formates in presence of water, 496.
- decomposition of the haloïd salts of mercury by haloïd acids and the haloïd salts of potassium, 682.
- double decompositions of the haloïd salts of mercury, 1020.
- double salts of mercury, 684.
- electrolysis of hydrogen peroxide, 1157.
- electromotive force of a zinc-carbon couple, 1156.
- explosion of acetylene, cyanogen, and endothermic compounds in general, 453.
- haloïd salts of silver and potassium, 1019.

- Berthelot, heat of formation of calcium oxychloride, 452.
 — isomeric state of haloïd salts, 355.
 — limits of electrolysis, 260.
 — nitric oxide as a supporter of combustion, 264.
 — researches on electrolysis, 260, 353.
 — surfaces of separation, 454.
 — the explosive wave, 685.
 Berthelot and Ogier, specific heat of nitrogen tetroxide, 1019.
 Berthelot and Vieille, detonation and the production of an explosive wave, 1261.
 — — nitrogen sulphide, 460.
 — — propagation of explosion in gases, 1260.
 — — velocity of the propagation of explosion in gases, 685.
 Bertoni, G., nitroso- and nitro-metacresol, 1198.
 Bertoni, G., and C. Raimondi, detection of nitrous acid in the blood, 1231.
 Bertoni. See also Raimondi.
 Besthorn. See Fischer.
 Beurath, H. E., silvering glass, 127.
 Bevan, E. J., and C. F. Cross, cellulose and coal, 31.
 — — conversion of sodium sulphate into hydroxide, 12.
 Beyer, B., some derivatives of isophthalic acid, 1294.
 Bicket. See Mills.
 Biel, J., Prolliuss' method for the estimation of alkaloids in cinchona bark, 1139.
 Bielschowski. See Will.
 Biermann, ferro-silicon, 118.
 Bilek. See Magerstein.
 Billaudot, zorgite, a selenium mineral from the Argentine Republic, 1269.
 Bing, J., ventilation of laboratories, 1332.
 Binz, C., and H. Schulz, theory of the physiological action of arsenic, 242.
 Birnbaum, K., and G. Lurie, a phenylene carboxylic ether, 200.
 Birnbaum, K., and H. Reinherz, action of iodine on silver salts of some aromatic acids, 970.
 Birner, changes effected by frost on the composition of potatoes, 1227.
 Birner and Troschke, influence of the weight of the seeds on the yield of the crop, 1127.
 Bischoff, C. A., synopsis of the polybasic fatty acids obtained from malonic acid by Conrad's method, 1187.
 Bischoff, C. A., and A. Emmert, ethylic benzylchloromalonate, 1208.
 Bischoff, C. A., and A. Emmert, tri- and penta-basic acids of the paraffin series, 1191.
 Bischoff. See also Conrad; also Weyl.
 Bizzarri. See Campani.
 Bizzozero, G., and C. Sanguirigo, variations in the composition of the serum after blood letting, 751.
 Blaikie, J. A., crystalline compound formed in water containing hydrogen sulphide and mercaptan, 592.
 Blaikie. See also Brown.
 Blake, J., atomic weight of glucinum, 701.
 — — relation between the isomorphism, atomic weights, and toxic effects of metallic salts, 879.
 Blake, W. P. occurrence of realgar and orpiment in Utah, 148.
 Blascovici, E., employment of soja bean as food for milch cows, 83.
 Bleunard, A., and G. Vrau, action of iodine on naphthalene at high temperatures, 733.
 Blochmann, R., action of air in rendering the flame of the Bunsen lamp non-luminous, 129.
 — — luminosity of the flame of a Bunsen burner induced by heating the tube, 256.
 Blondel, E., ethylidene-ponceau, 1250.
 Blunt, T. P., Williams's nitrogen process, 100.
 Bode, F., consumption of fuel in house stoves, 1331.
 Bodenbender, L., and others, improvements in the manufacture of sugar from molasses by means of lime, 1015.
 Boeck, G., a new use for potatoes, 1340.
 Boeckmann, F., estimation of sulphur in pyrites, 993.
 Boehm, J., formation of hydrogen sulphide from sulphur and water, 801.
 Boehm, R., and F. A. Hoffmann, *post mortem* formation of sugar in the liver, 541.
 Böhmer, C., absorbents for nitric oxide, 1230.
 — — diazophenols, 396.
 Böhringer. See Forst.
 Bösler, M., orthotolyhydrazine, 1062.
 Bötsch, K., decomposition of certain resins by distillation over zinc-dust, 209.
 — — derivatives of saligenol, 174.
 — — incomplete combustion of gases, 455.
 Böttinger, C., action of sodium thiosulphate on ketonic acids, 1051.

- Böttinger, C., the sugar of oak-bark tannin, 157.
- Boillat, F., contributions to the study of antiseptics, 1243.
- Boisbaudran, L. de, colouring matter formed in flour paste, 739.
- decomposition of gallium protochloride by water, 1167.
- gallium oxychloride, 698.
- reactions of gallium salts, 364.
- separation of gallium, 897, 1323.
- Bokorny. See Loew.
- Bolas, T., use of incandescent lamps for photographic purposes, 1240.
- Bollert. See Liebermann.
- Boner. See R. Meyer.
- Bonnier, G., development of heat during germination, 242.
- Borgmann, E., estimation of glycerol in sweet wine, 1235.
- Borodin, J., respiration of plants, 641.
- Bottomley, J., mean intensity of light that has passed through absorbing media, 1.
- Bouchard, A., and others, enemies of the vine, 328.
- Bourgeois, E. See Levy.
- Bourgoin, E., action of potassium cyanide on potassium trichloracetate, 711.
- Boussingault, J., analysis of wine from Jacquez grapes, 1145.
- decomposition of nitrates during vegetation in the dark, 327.
- presence of manganese on the surface of rocks, 1270.
- Bouty, E., polarisation of electrodes and conductivity of liquids, 912.
- Bradford, J. M., bark of *Fraxinus Americana*, 1149.
- Braham, P., crystals produced by the action of metals sealed up in carbon bisulphide, 12.
- Brandl, J., chemical composition of the minerals of the cryolite group, 1176.
- Brauner, B., formation of free fluorine, 8.
- Braungart, R., estimation of pollen in hops, 1331.
- Bréal. See Déhéraïn.
- Bredt, J., action of nitric acid on fatty acids containing the isopropyl group, 162.
- lactone of isocaproic acid, 34.
- Breuer, A., and K. Zincke, behaviour of the hydroxyquinone, $C_{16}H_9(OH)O_2$, on oxidation, 207.
- Breyman, C., perishing of wheat, rape, and clover in winter, 548.
- Brezina, A., preliminary notice of new or but little known meteorites, 153.
- Brezina, A., schneebergite, 150.
- Brieger, L., certain constituents of pus from the human subject, 759.
- detection of skatole, 559.
- Briem, H., distribution of heat and rain during the period of growth of sugar-beet, 990.
- increase of root and leaf of sugar-beet during growth, 640.
- loss of water from kidney beans when ripening, 243.
- manuring with osmose-water, 993.
- relation between the moisture of the soil and the germination of sugar-beet seeds, 641.
- Brix, R., constituents of "Maracaibo" copaiba balsam and the commercial copaiba and metacopaiba acids, 65.
- Brögger, W. C., the pegmatite veins of Maas, and the minerals contained in them, 579.
- Brössler, J., spontaneously inflammable hydrogen phosphide, 461.
- Brown, A. C., and J. A. Blaikie, action of heat on the salts of trimethylsulphine, 592.
- — trimethylsulphine salts, 593.
- Brown, G., phosphatic manures on turnips; a report of experiments carried out in Scotland in 1880, 653.
- Brücke, E., detection of urea by oxalic acid, 901.
- Brühl, J. W., molecular refraction of methacrylic and crotonic acids, 827.
- molecular refraction of methyl and ethyl citraconates and mesoxalates, 829.
- preservation of exposed bronze monuments, 669.
- relation between the optical and thermic properties of liquid carbon compounds, 263, 445.
- Brünings. See Rellet.
- Bruneau. See Miron.
- Brunner, H., production of colouring matters from phenols and polyatomic alcohols, 784.
- Brunner, R., detection of sulphur, 553.
- Brush, G. J., and E. S. Dana, crystallised danburite from Russel, 150.
- Buchanan, J. Y., manganese nodules and their occurrence on the sea bottom, 369.
- oxidation of ferrous salts, 572.
- Buchka, K., gallein and cœrulein, 59.
- Buchner, G., researches on the behaviour of ferric chloride to albumin, 1141.
- Buddel, F., importance of starch in belladonna roots, 1126.

- Buhe, A., boiling and heating with gas, 115.
- Bullier. See Pellet.
- Burcker, E., an aldehyde ketone and a glycol of the aromatic series, 730.
- benzhydroxypropionic acid, 618.
- preparation of phenyl propyl ketone, 612.
- Burton, B. S., action of phosphorus pentachloride on ethylic acetoacetate, 711.
- note on a phosphorus oxyiodide, 140.
- propyl-derivatives, and decomposition-products of ethylic acetoacetate, 599.
- Butlerow, A., alleged heating of ice under low pressures, 355.
- oxidation of isodibutylene by potassium permanganate, 936.
- remarks on the atomic weights, 922.
- Byasson, H., estimation of the nitrogenous constituents of urine, 1330.
- C.**
- Cahours, A., and E. Demarçay, formation of sebasic and suberic acids by the distillation of crude fatty acids, 715.
- Cahu, A., physiological and pathological chemistry of the eye, 759.
- Cailletet, L., use of liquid ethylene for producing low temperatures, 914.
- Cailletet, L., and Bordet, hydrates formed under pressure and sudden expansion, 1163.
- Calm, A., amidoamylbenzene, 1284.
- conversion of α - and β -naphthols into amidonaphthalenes, 972.
- Camerer, feeding with milk, 636.
- tissue change on a milk diet, 749.
- Cameron, C. A., physiological activity of superoxygenated molecules, especially those of quinine iodate and bromate, 879.
- Campani, G., and D. Bizzarri, oxidation of glycerol by potassium permanganate, 818.
- Canzoneri, F., and G. Spica, researches on *Tarchonanthes camphoratus*, 1040.
- St. Capranica, reactions of bile-pigments, 232.
- Carles, P., estimation of tartaric acid in tartar and in wine-lees, 1329.
- plastering and deplastering of wines, 1336.
- Carles, P., presence of phosphorus and iodine in cod-liver oil, 673.
- yolk of egg, 1339.
- Carnelley, T., chemical symmetry, or the influence of atomic arrangement on the physical properties of compounds, 458.
- Carnot, A., use of chromium phosphate in analysis and in the arts, 998.
- Carpentier. See Cross.
- Carrière, E. A., *Canna edulis sterilis* as food, 990.
- Carsi, A., notes on Italian minerals, 479.
- Carstanjen, E., phlorone and xyloquinone, 612.
- Carstanjen, C., and A. Ehrenberg, mercury fulminate, 816.
- Casamajor, P., analysis of beet-root and sorghum, 898.
- correction of saccharimetric test by inversion, 105.
- detection of oleomargarin, 341.
- detection of starch-sugar in sugar-house molasses, 429.
- volumetric estimation of copper and lead, 776.
- Casthelaz, J., tincture of iodine, 1010.
- Cavazzi, A., analysis of wheat-plant ash, 548.
- Cazeneuve, P., an isomeric dichlorocamphor, 1107.
- combination of camphor with aldehyde, 526.
- dichlorocamphor, 738.
- examination of methylated spirit, 1002.
- excretion of uric acid by birds, 416.
- Cazeneuve, P., and Didelot, dichlorocamphor, 864.
- Ceresole, M., nitroacetone and acetoacetic acid, 1052.
- Cervallo, V., active principle of *Adonis vernalis*, 1126.
- Chancel, G., dinitro-derivatives from ketones, 824.
- nitro-acids derived from ketones, 710.
- Chapoteaut, P., gastric juice, 1220.
- Chappuis, J., absorption-spectrum of nitrogen tetroxide (pernitric anhydride), 1017.
- absorption-spectrum of ozone, 1017.
- Chappuis. See also Hautefeuille.
- Charles, J., gases of the bile, 754.
- Chastaing, P., action of acids on pilocarpine, 1115.
- complex character of morphine, 413.

- Chastaing, P., formula of pilocarpine, 75.
 — oxidation-products of morphine, 73.
 — pilocarpine, 744.
 Chateau, L., destruction of the noxious gases evolved in the manufacture of ammonia from liquid sewage, 115.
 Chautard. See Clermont.
 Chauzit. See Andoynaud.
 Chesnel, E., new American process for making cheese, 124.
 Chittenden, R. H., and J. S. Ely, influence of peptones on the diastatic action of saliva, 1117.
 Chittenden, R. H., and W. L. Griswold, the diastatic action of saliva, 319.
 Chittenden, R. H., and S. W. Lambert, arsenical bismuth subnitrate, 573.
 Christensen, A., contribution to the examination of pilocarpine and its salts, 317.
 — estimation of quinine as herapathite, 341.
 — quassia, 1302.
 Chroustchhoff, P., heat of solution of some mixtures of salts, 1257.
 Ciamician, G. L., some compounds of the pyrroline series, 212.
 — spectroscopic investigations, 349.
 Ciamician, G. L., and L. Danesi, derivatives of pyrocoll, 233, 875.
 Ciamician, G. L., and M. Dennstedt, action of halogenated organic radicles on potassium-pyrroline, 606.
 — — action of nascent hydrogen on pyrroline, 1214.
 — — a third homologue of pyrroline in Dippel's oil, 529.
 — — conversion of pyrroline into pyridine, 867, 1214.
 Ciamician, G. L., and P. Silber, some derivatives of carbazole, 1103.
 Claassen, E., citrate of magnesia, 127.
 Claesson, P., and others, on arabinose, erythrol, mannitol, &c., 819.
 Claisen, L., action of acetone on furfuraldehyde and benzaldehyde in presence of alkaline solutions, 513.
 — benzoic bromide, 514.
 Claisen, L., and A. Claparède, condensation of ketones with aldehydes, 511.
 — — new method for the preparation of cinnamyl-formic acid, 520.
 Claparède. See Claisen.
 Clark, J., fossil eggs in guano, 1310.
 Clarke, F. W., certain new tetranti-monites, 1051.
 Clarke, F. W., and Mary E. Owens, new compounds of platinum, 299.
 Clarke, F. W., and N. W. Perry, gunnisonite, a new mineral from Colorado, 1176.
 Clarke, F. W., and D. Stern, salts of chromium and mercury, 293.
 Classen, A., electrolytic estimations and separations, 896.
 Claus, A., action of phosphorus pentachloride on acetyl- and benzoyl-diphenylamine, 178.
 — constitution of benzene and naphthalene, 1196.
 — diquinoline, 214.
 — nitro- and amido-anthraquinone-sulphonic acid, 1105.
 — resorcinoxalein, 399.
 — sulphonic acids of [1 : 4] cymene, 196.
 — synthesis of homologues of aniline from bromaniline, 722.
 Claus, A., and M. Dehne, dichloronaphthalene and chloronaphthol from β -naphtholsulphonic acid, 734.
 Claus, A., and C. Diernfellner, nitrobromanthraquinone, 522.
 Claus, A., and E. Istel, tetrabromoquinoline and di-iodoquinoline, 1110.
 Claus, A., and O. May, azophthalic acid, 515.
 Claus, A., and H. Oehler, action of phosphorus pentachloride on α -naphtholsulphonic acid, 736.
 Claus, A., and H. Schaare, action of phosphorus pentachloride on benzoyl-diphenylamine, 1060.
 Claus, A., and L. Spruch, oxidation of pentachloronaphthalene, 1210.
 Claus, A., and H. Weller, cinchonidine, 227.
 Clausnitzer, estimation of glycerol in beer, 557.
 Cleaver, E. L., and M. W. Williams, extract of aconite, and the alkaloid of *Aconitum paniculatum*, 635.
 Clement, J. M., bleaching, 128.
 Clermont, P. de, and P. Chautard, oxidation of pyrogallol in presence of gum arabic, 970.
 — — oxidation of pyrogallol in presence of free acid, 839.
 — — purpurogallin, 1065.
 Cleve, P. T., remarks on didymium, 1165.
 Cloetta, A., and E. Schaer, estimation of phenol in urine, 106.

- Cloez, C., abnormal crystals of citric acid, 498.
 — proportion of potash to soda in natural waters, 372.
 Cloez. See also Vigier.
 Cobenzl, A., action of nascent hydrogen on ellagic acid, 405.
 — separation of tungsten from antimony, arsenic, and iron, 99.
 Cochlin. See Heumann.
 Colley, R., existence of a dielectrical polarisation in electrolytes, 789.
 — external work in a closed circuit, 1156.
 Collie. See Letts.
 Collineau. See Savigny.
 Colson, A., diffusion of solids, 357, 454.
 — new carbosilicon compounds, 933.
 Colson. See also Schützenberger.
 Comes, O., effect of light on transpiration in plants, 418.
 Comstock, W. J., American sulphoselenides of mercury, and analyses of onofrite, 148.
 Coninck, O. de, distillation of cinchonine with potash, 414.
 — pyridine bases derived from brucine, 1302.
 Conrad, M., ethylic benzylchloromalonate, benzyltartronic and phenyllactic acids, 58.
 Conrad, M., and C. A. Bischoff, ethylic monochloromalonate and tartronic acid, 39.
 — ethylic nitrosomalonate and its derivatives, 39.
 Conrad, M., and M. Guthzeit, chloromalononic acid and its derivatives, 947.
 Cooke, J. P., additional experiments on the atomic weight of antimony, 367.
 — argento-antimonious tartrate, 389.
 — solubility of silver chloride in water, 427.
 — the boiling point of antimony iodide, and a new form of air thermometer, 354.
 Coppola, M., chemical constituents of *Stereocaulon vesuvianum*, 866.
 Corenwinder. See Renouard.
 Corne, I., hypophosphoric acid, 1264.
 — phosphorescence and oxidation of phosphorus, 1263.
 Cossa, A., hieratite, a new mineral, 704.
 — serpentine rocks of the St. Gothard, of the Bobbiese Appenine, and of Monte Ferrato, 586.
 — stilbite from the Miage Glacier, Mont Blanc, 290.
 Cossa, A., and E. Mattheoli, silurian rocks in the Territorio d'Iglesias, Sardinia, 583.
 Coste and others, contributions to the Phylloxera question, 646.
 Counciler, C., analyses of the ash of various parts of *Aster amellus*, 887.
 Counciler, C., and J. Schröder, relation between the reducing action of oxalic acid and tannin, 1238.
 Couty, potassium permanganate as an antidote to the poison of Bothrops, 879.
 Cownley. See Paul.
 Crafts, J. M., depression of the zero-point in mercurial thermometers, 913.
 Crafts. See also Friedel.
 Crespi, P., derivatives of monobrom- and dibrom-anisic acid, 191.
 Crié, L., new instances of phosphorescence in plants, 422.
 Crookes, W., a fourth state of matter, 266.
 — discontinuous phosphorescent spectra observed in an almost perfect vacuum, 445.
 Cros, C., and J. Carpentier, colour photography by tinting layers of coagulated albumin, 668.
 Cross, C. F., hydration of salts and oxides, 12.
 Cross. See also Bevan.
 Curtman, C. O., sodium cobalt nitrite as a test for potassium, 95.
 Czumpelitz, E., identification of alkaloïds, 340.

D.

- Damm, G., and L. Schreiner, resorcinol dyestuffs, 968.
 Damour, A., artificial pseudomorphosis of calcium carbonate after gypsum, 282.
 — blue mineral from Chaponost, &c., 151.
 — note on erythrozincite, 281.
 Dana. See also Brush.
 Danesi, L., monobromopyridine, 867.
 Danesi. See also Ciamician, Mauro, and Sestini.
 Dangers, F., and others, is milk warmed by passing through the centrifugal machine? 1016.
 Dangers, H., a new milk tester, 559.
 Danilewsky, A., constitution of albuminoids, 75.

- Danilewsky, A., myosin, its preparation, properties, conversion into syntonin, and regeneration from the same, 745.
- the hydration processes occurring during the formation of peptones from albumin, 238.
- Daubrée, crystallised copper sulphide from ancient coins in hot springs, 142.
- Daubrée, M., occurrence of native sulphur in the soil of Paris, 470.
- Davy, E. W., new and expeditious method for the determination of nitrites, 1317.
- Day, G., sprouting barley, 418.
- Debray, H., reactions of mercuric chloride, 929.
- De Forcrand, hydrate of hydrogen sulphide, 1027.
- Degener, P., reducing power of grape-sugar for Fehling's solution, 104.
- Déhérain, P. P., agricultural experiments at Grignon in 1881, 1314.
- phosphoric acid in the soil, 86.
- Déhérain, P. P., and Breal, changes accompanying the ripening of certain plants, 80.
- ripening of certain annuals, 419.
- Déhérain, P. P., and L. Maquenne, combination of hydrogen and oxygen by electric discharge, 360.
- decomposition of water by the silent discharge in presence of nitrogen, 459.
- vegetation in an atmosphere rich in carbonic anhydride, 639.
- Déhérain, P. P., and Meyer, development of oats, 418.
- Dehne. See Claus.
- Deichmann. See König.
- Delarue, E., preparation of dextrin from starch, 1146.
- De la Rue, W., and H. Müller, chloride of silver battery, 258.
- Demarçay, E., volatilisation of metals in a vacuum, 1264.
- Demarçay. See also Cahours.
- Demel, W., difficultly combustible substance, 998.
- Dennstedt. See Ciamician.
- Denucé, D., preservation of wine by means of salicylic acid, 1014.
- Descamps, A., double cyanides of metals of the iron group, 154.
- Des Cloizeaux, A., danburite from Danbury, 151.
- note on the optical properties of erythrozincite, raimondite, and copiapite, 281.
- Des Cloizeaux. See also Terrail.
- Detmer, W., formation of starch in plants, 640.
- influence of certain substances on plant-cells and ferments, 881.
- Dewar, J., critical point of mixed vapours, 268.
- lowering of the freezing point of water by pressure, 270.
- studies of the electric arc, 259.
- Dewar. See also Liveing.
- De Vrij, J., method for estimating the total alkaloids in barks, 665.
- De Vrij, J. E., quantitative estimation of quinine, 560.
- *Thevetia nereifolia*, 328.
- Diakonoff, D. I., specific heat and latent heat of evaporation of three saturated alcohols, 355.
- Dianin, A. P., conversion of phenols into diphenols by oxidation, 623.
- Didelot. See Cazeneuve.
- Diernfellner. See Claus.
- Dietrich, E., specific gravity of wax, ceresin, &c., 1139.
- Dietzell, B. E., evolution of free nitrogen during putrefaction, 991, 1122.
- Dieulafait, existence of lithium and boric acid in the Dead Sea, 1037.
- presence of titanium and vanadium in all the primitive rocks, 371.
- Dill, H., acorns and earth-puffs as distilling materials, 121.
- Dirks, V., testing oil-cakes for myronic acid, 1236.
- Ditte, A., action of acid solutions on stannous oxide, 1029.
- action of alkaline solutions on stannous oxide, 1030.
- action of alkaline sulphide on stannous sulphide, 1030.
- action of litharge on the iodides of the alkali-metals, 695.
- action of potash on lead oxide, 927.
- combination of lead iodide with alkaline iodides, 466.
- decomposition of lead salts by alkalis, 806.
- iodine-compounds of lead, 142.
- some reactions of stannous salts, 808.
- Divers, chrome-iron ore of Japan, 21.
- occurrence of selenium and tellurium in Japan, 362.
- sodium alum of Japan, 20.
- two Japanese meteorites, 814.
- Dochmann, A., peptonisation of albuminoids in koumiss, 1221.
- Doebner, O., compounds of benzotrichloride with aromatic bases, 956.

- Doebner, O., researches on benzoyl compounds, 507.
- Doebner, O., and W. v. Miller, a homologue of quinoline, 868.
- Doebner, O., and G. Weiss, benzoyl-aniline, 176.
- Doelter, C., action of the electro-magnet on various minerals, and its use for their mechanical separation, 656.
- mechanical separation of minerals, 1173.
- Dogiel, J., chemical theory of the physiological action of arsenic, 987.
- Domac, J., action of chlorine dioxide on hexylene, 1039.
- Domeyko, J., minerals from Chili, 471.
- Donath, E., and J. Mayrhofer, detection of glycerol, 557.
- detection of nickel and cobalt, 555.
- Donath, J., physiological effects and chemical reactions of quinoline, 214.
- v. Dorp. See Hoogewerff.
- Dott, D. B., transformation of morphine into codeine, 981.
- Dowson's apparatus for making a cheap gas for gas-motors, 430.
- Dragendorff, analyses of the leaves of *Memecylon tinctorium*, 1124.
- detection of blood stains, 561.
- examination of beer for foreign bitter principles, 103.
- Drechsel, E., a modification of Pettenkofer's reaction for gallic acid, 108.
- crystalline guanine, 27.
- mercurous chloride, 18.
- Drechsler, G., manuring experiments at the experimental station, Göttingen, 89.
- Drechsler. See also Heine.
- Drewsen, V. R., derivatives of paranitrocinnamic acid, 846.
- paracresolphthalein anhydride, 1098.
- Dreyfus, E., estimation of chlorate in hypochlorites, 94.
- Drown, T. M., the condition of sulphur in coal and its relation to coking, 780.
- Drown, T. M., and P. W. Shimer, analysis of iron ores containing both phosphoric and titanic acids, 777.
- Drygin, A., double salt of quinine hydrochloride and urea, 74.
- Dubrunfaut, preparation of sugar without molasses, 122.
- Duclaux, E., digestion of fatty and celluloid matters, 1119.
- gastric digestion, 753.
- intestinal digestion, 1119.
- Duclaux, E., pancreatic digestion, 1118.
- researches on cheese making at the dairy station at Fau, 436.
- Dudley, W. L., Holland's process for melting iridium, 703.
- Duggan, J. R., estimation of urea by sodium hypobromite, 778.
- Dinsberg, C., ethyl acetoacetate, 1192.
- Dumas, carbonic anhydride in the atmosphere, 692.
- Dumreicher, O. v., action of stannous chloride on nitrogen compounds, 361.
- aluminium chloride and monobromobenzene, 606.
- Dunn, J. T., solubility of sulphurous acid in sulphuric acid, 1027.
- Dunnington, F. P., columbite, orthite, and monazite from Amelia Co., Virginia, 1175.
- Du Puy's direct process for making iron from ores, tap-cinder, &c., 344.
- Duquesnel, crystalline hyoscyamine, 535.

E.

- Ebrard. See Graebe.
- Echols, W. H., temperatures of formation and decomposition of mercuric oxide, 18.
- Eckert, H., and others, cultivation of *Vicia villosa*, 647.
- Eder, J. M., analysis of photographic gelatin and collodion emulsions, 111.
- cyanotypes, 113.
- estimation of ferrous oxide in presence of ferric oxide, organic acids, and sugar, 98.
- heliographic engraving in lines and half tones, 1008.
- Eder, J. M., and G. Pizzighelli, photochemistry of silver chloride, 2.
- Eder, J. M., and G. Ulm, reactions of mercuric iodide with sodium thiosulphate, 806.
- Edlund, E., electrical resistance of gases, 681.
- electrical resistance of a vacuum, 353.
- Egger, E., estimation of fat in milk, 778.
- Eggertz, colorimetric estimation of carbon in iron, 98.
- Ehrenberg. See Carstanjen.
- Ehrhardt, A. E., to what extent is sprouted grain capable of further germination? 987.
- Eisenberg, J., mesidine derivatives, 953.

- Eitner, W., use of algarobilla in tanning, 908.
- Ellenberger and Hofmeister, digestive fluids, and digestion in horses, 1119.
- Elsbach, L., compounds of naphthaquinone with toluidine and ethylaniline, 853.
- Ely. See Chittenden.
- Emich, F., Hüfner's reaction with bullocks' bile, and some properties of glycocholic acid, 1218.
- Emmedt, A., and F. Reingruber, dimethylnaphthalene, 733.
- Emmerling, A., oats manured with steamed and dissolved bones, 333.
- Emmerling, A., and G. Loges, exhaustion of soils by sodium nitrate, 330.
- — — manure from deep stalls, 992.
- — — the reducing substance formed by the action of potassium hydroxide on grape-sugar, 490.
- Emmerling. See also Holdefleiss.
- Emmert. See Bischof.
- Engel, R., and A. Moitessier, dissociation of ammonium carbonate, 162.
- — — dissociation of ammonium sulphurate, 269.
- Engelmann, T. W., new method for detecting the evolution of oxygen by vegetable or animal organisms, 335.
- Erémine, influence of the temperature of the voltaic arc on barium and calcium sulphates, 362.
- Erhard, T., electrical properties of indium, 262.
- Erlenmeyer, E., chemistry of the superphosphates, 141.
- — — cinnamic acid derivatives, 190.
- — — halogenised and hydroxylised organic acids, 492.
- Erlenmeyer, E., and A. Lipp, phenyl- α -amidopropionic acid, 971.
- — — synthesis of tyrosine, 1063.
- Erlenmeyer, E., and C. L. Müller, halogenated and hydroxy-organic acids, 598.
- Ernst-Beesenlaubingen, E., conversion of molasses waste into gas, 787.
- Essner, J., action of amylene hydrochloride and of amylene on benzene in presence of aluminium chloride, 46.
- Estcourt, C., analysis of Liebig's extract of meat, and an imitation of it, 248.
- Étard, A., cuproso-cupric sulphites, 280, 1028.
- — — cuprous sulphites and their derivatives, 1165.

- Étard. See also Gautier.
- Etti, C., levulin, 158.
- — — the catechins, 67.
- Eugling, W., and E. Rüf, preparation of crude and refined milk-sugar, 1014.
- Eugster. See Schulze.
- Everhart. See Leeds.
- Exner, F., galvanic elements which consist of elementary substances—electric conductivity of bromine and iodine, 679.
- Eykman, J. F., alkaloids of the Papavaraceæ, 1112.

F.

- Fairley, T., the blowing wells near Northallerton, 372.
- Falk, behaviour of some ferments in the animal system, 637.
- Farsky, F., a shortened method of soil analysis, 245.
- — — analysis of Stassfurth manure-salts, 1229.
- — — analysis of the mineral well at St. Anna, near Cernowic, 371.
- — — comparison of fine grained and coarse grained superphosphate, 90, 550, 653.
- — — constituents of the ashes of cockchafers, 1223.
- — — manuring experiments with superphosphates and bone-meals of various degrees of fineness, 653.
- — — manuring with potash salts, 770.
- Febve, P., oil of wild thyme, 524.
- Fedaroff, relation between the atomic weights of elementary bodies, 358.
- Feichtinger, cause of the acid reaction exhibited by some kinds of paper, 1339.
- Fenssner. See Bamberger.
- Fernholz. See Habel.
- Fesca, M., contribution to the agromonic estimation of soils, 991.
- Feser, researches on splenic fever, 543.
- Festing. See Abney.
- Fileti, M., molecular weight of mercurous chloride, 466.
- Fileti. See also Tissoni.
- Filhol, E., action of sulphur on alkaline sulphides in dilute solutions, 141.
- — — composition of the mineral water of Barèges, 293.
- Filhol, E., and Senderens, arsenates neutral to litmus, 1267.
- — — phosphates neutral to litmus, 693.

- Fischer, E., *cafféine*, 217, 628.
 — conversion of xanthine into theobromine and *cafféine*, 981.
 — *furfural*, 499.
 — *tolane diiodide*, 521.
 Fischer, E. and O., *triphenylmethane*, 62.
 Fischer, E., and E. Besthorn, *thiocarbamides of phenylhydrazine*, 1091.
 Fischer, E., and C. Renouf, *hydrazine-benzoic acids*, 1068.
 Fischer, O., *condensation-products of aromatic bases*, 833.
 — *condensation-products of tertiary aromatic bases*, 392.
 — *nicotic acid from pyridine*, 627.
 Fischer, O., and C. Rudolph, *a new class of colouring-matters*, 1066.
 Fischer. See also Bedall.
 Fittbogen, J., *carnallite as manure and fixer of ammonia*, 1130.
 Fittica, F., *two new nitrophenols*, 51.
 Fittig, R., *constitution of lactones*, 32.
 — *interpretation of syntheses by Perkin's reaction*, 190.
 Fittig, R., and E. Hjelt, *lactone of normal caproic acid*, 33.
 Fittig, R., and O. Krafft, *terpenylic acid, teracrylic acid, and heptalactone*, 42.
 Fitz, A., *schizomycetic fermentation*, 1121.
 Flechner, R., *new process for extracting copper from copper pyrites*, 904.
 Fleck, H., *constitution of the water of the Dead Sea*, 24.
 — *estimation of red lead*, 99.
 Fleischmann, W., and R. Sachtleben, *creaming of milk according to Becker's method*, 674.
 Fleischmann and others, *composition, properties, and analysis of milk*, 662.
 Fleming, H., *recovering glycerol from spent soap-lyes*, 782.
 Florens, *changes which sugar undergoes in crystallising*, 122.
 Flückiger, F. A., *essential oil of Pistacia Lentiscus*, 208.
 Föhr, K. F., *phonolite*, 587.
 Foerster, K., *cause of Jorissen's reaction for fusel-oil*, 1002.
 — *presence of furfural in fermented liquors*, 710.
 Foerster, P., *colouring-matters from Chinese yellow-berries, capers, and rice*, 976.
 Förstner, H., *artificial wurtzite*, 281.
 — *cosyrite from Pantellaria*, 152.
 Forquignon, *malleable cast iron and the cementation of steel*, 116.
 Forst, C., and C. Böhringer, *quitenidine*, 1306.
 — — *hydroquinidine*, 74, 1306.
 — — *occurrence and behaviour of cinchotine, hydrocinchonidine, and hydroquinidine*, 982.
 Fossek, W., *condensation-products of isobutaldehyde*, 161.
 — *new derivatives of isobutaldehyde*, 1278.
 Foullon, v., *crystallogenic observations*, 574.
 Fouqué, F., and M. Lévy, *synthesis of meteorites*, 292.
 Fränkel, A., and F. Röhmman, *phosphorus poisoning in hens*, 544.
 Francken, V., *report on the processes of Claesson and Reiss for the determination and separation of metals by electrolysis*, 1320.
 Fraude, G., *resorcintartrein and resorcincitrein*, 399.
 Fredericq, L., *rotatory power of the albuminoid substances in blood serum, and their estimation by this means*, 110.
 Frédérique, L., *albuminoids of blood serum*, 76.
 Fremy, E., and Urbain, *chemical studies on the vegetable skeleton*, 420.
 — — *vasculose*, 708.
 Fresenius, R., *analysis of the Oberbrunnen Springs at Salzbrunnen in Silesia*, 1178.
 — *determination of impurities in metallic copper*, 1232.
 — *estimation of potassium as platinum-chloride*, 1231.
 Fresenius, W., *Fresenius-Babo's test for arsenic*, 555.
 Fresnel, A., *mineralogical notes*, 472.
 Freund, A., *trimethylene*, 154, 1273.
 — *trimethylene alcohol from glycerol*, 156.
 Freytag, M., *hurtful constituents of furnace-gases, and their removal*, 1333.
 Friedel, C., and J. M. Crafts, *preparation of triphenylmethane*, 621.
 Friedel, C., and E. Sarasin, *artificial orthoclase produced in the wet way*, 478.
 Friedländer, P., *nitration of paranitrocinnamic acid*, 401.
 Friedländer, P., and R. Henriques, *orthonitrobenzaldehyde*, 840.
 Friedländer, P., and H. Ostermaier, *carbostyryl*, 201, 732.
 Friedländer and Schmoger, *comparison of the Holstein and Swart's creaming process*, 1148.

Friedländer, P., and A. Weinberg, carbostyryl, 1209.
 Friedländer. See also Tiemann.
 Friedrich, R., decomposition of monohalogen substituted crotonic acids, 945.
 Friese, G., quinoline tartrate and salicylate, 868.
 Friese. See also Bernthsen.
 Fürth, H., berberonic acid, 230.
 Funaro, A., composition of Italian fodders, 1127.
 Funaro. See also Sestini.

G.

Gabriel, S., phenylacetic acid, 1070.
 — preparation of paranitrophenylacetic acid, 188.
 Gabriel, S., and R. Meyer, dinitrophenylacetic acid derivatives, 188.
 Gabriel, S., and H. Steudemann, hydrocinnamic acid, 1073.
 Gaffield, T., action of sunlight on glass, 352.
 Gantter, T., and C. Hell, bromoderivatives of suberic acid, 716.
 Garnier, J., purification of arsenical copper, 432.
 Gasparin, P. de, composition of superphosphates, 1315.
 — use of superphosphates on the calcareous soils of the south-east of France, 1130.
 — value of the waters of the Isère and Durance for agricultural purposes, 92.
 Gautier, A., alkaloïds derived from proteid animal matter, 873.
 — insoluble modification of pepsin, 877.
 — soluble and insoluble modifications of the gastric ferment, 752.
 Gautier, A., and A. Etard, the mechanism of putrid fermentation of proteid substances, 1115.
 Gé, G., ethereal nitrates from milk-sugar, 1042.
 Geisler, C., pyroterebic acid, 41.
 Geissler, E., ethereal oils, 120.
 — papayotin, 1118.
 — testing of press yeast, 113.
 Genth, A., and W. C. Kerr, the minerals and mineral localities of North Carolina, 147.
 Gerber. See Rosenstiehl.
 Gerichten, E. v., codeine, 311.
 — cotarnine, 313, 869.
 — pyridene-betaine, 1109.
 Gerichten, E. v., and H. Schrotter, morphine, 530.

Gerichten, E. v. and H. Schrotter, morphine and codeine, 1112.
 Giacosa, new method of estimating phenol, 778.
 Giannetti, C., isobutylaniline, 1059.
 Gibbs, W., osmyl-ditetramine, 144.
 Gibson, J., composition of "reh," an inflorescence on the soil of certain districts of India, 650.
 Gibson, A., preparation of a solution containing hypophosphites of iron, sodium, calcium, and magnesium, 670.
 Gilbert. See Lawes.
 Gibbs, W., phosphotungstates, 469.
 — researches on the complex inorganic acids, 702.
 Gintl, W. F., examination of the Ambrosiusbrunn-Quelle, Marienbad, Bohemia, 25.
 Giovonnozzi, G., dimethylnaphthalene, 854.
 Girard, A., composition of wines made from marc, 1335.
 — estimation of astringent substances in wines, 1327.
 — hydrocellulose and its derivatives, 378.
 Girard, J. de, combination of aldehydes with phosphonium iodide, 710.
 Gladding, T. S., determination of reverted phosphates, 1319.
 — quantitative separation of rosin from fats, 663.
 Gladstone, J. H., refraction equivalents of carbon, hydrogen, oxygen, and nitrogen in organic compounds, 133.
 Gleichmann, L., behaviour of dimethylphenylphosphine with ethylene bromide, 958.
 Gleichmann. See also Michaelis.
 Goldberg, A., action of chloride of lime on the alcohols, 28.
 Goldschmidt, G., mononitro- and dinitro-pyrene and amidopyrene, 206.
 — occurrence of succinic acid in an incrustation on the bark of *Morus alba*, 602.
 — some new aromatic hydrocarbons, 202.
 Goldschmidt, G., and J. Herzig, decomposition of the calcium salts of the three hydroxybenzoic acids, and of anisic acid, by dry distillation, 616.
 Goldschmidt, H., glyoxaline, 166.
 — phosphorus pentasulphide, 693.
 — synthesis of aromatic hydrocarbons, 952, 1196.
 — quantivalence of phosphorus, 8.
 Goldschmidt, H., and V. Meyer, estimation of gas-densities, 771.

- Goldschmidt. See also V. Meyer.
 Goldstein, E., band-spectrum of air, 677.
 Goldstein, M. I., boiling points of normal saturated hydrocarbons, 374.
 Gonnard, F., existence of epidote in the syenite of the Ravin d'Enval, near Riom (Puy de Dôme), 292.
 Goppelsroeder, F., use of electrolysis in dyeing and printing, 1338.
 Gore, G., chemico-electric relation of metals in solutions of potassium salts, 261.
 — effects of electric currents on the surfaces of mutual contact of aqueous solutions, 260.
 — electrolytic diffusion of liquids, 565.
 — some effects of transmitting electric currents through magnetised electrolytes, 566.
 Gorgeu, A., basic salts of manganese, 1032, 1172.
 Goth. See Weyl.
 Gottwalt, E., filtration of albuminous solutions through animal membranes, 538.
 Graebe, C., and R. Ebrard, euxanthone, 1301.
 Graebe, C., and W. Mann, action of sulphuretted hydrogen on diazobenzene, 1285.
 Graebe, C., and H. Schmalzigaug, diphtalyl, 1298.
 Graeff, F., naphthalene derivatives, 1212.
 Graeger, M., sulphochromites, 15.
 Grahl, H., experiments on the cultivation of various kinds of beans, with special regard to the amount of nutrients produced, 83.
 Grahl. See also Kroker.
 Grandeau, L., manuring experiments with various phosphates at Nancy, 993.
 Gray, T., variation of electric conductivity with temperature, density, and chemical composition, 680.
 Green, H. L., *Osmorrhiza longistylis*, 988.
 Greenish, H. G., carbohydrates in *Fucus amylaceus*, 939, 1044.
 Gresley, J., and F. Meyer, mesitylenephthalic acid, 848.
 Griess, P., action of cyanogen on picramic acid, 969.
 — diazo-compounds. Part VII, 48.
 Griffiths, A. B., origin and formation of the diamond, 1269.
 Grimaux, E., action of bromine on quinoline and pyridine, 1215.
 — a new series of bases derived from morphine, 218.
 Grimaux, E., synthesis of nitrogenised colloids, 415.
 Griswold. See Chittenden.
 Grodzki, M., ethylated thiocarbamides, 823.
 Gröger, M., devitrification, 343.
 — estimation of neutral fat in mixtures of fatty acids, 1236.
 Grosser, B., essential oil of the fruit of *Coriandrum sativum*, 525.
 Grouven, H., conversion of organic nitrogen into ammonia, 1316.
 Gruber, M., Liebig's method of estimating urea, and its modifications, 779.
 Grye, B. de la, chlorination of seawater, 923.
 — density and chlorination of seawater taken by the "Travailleur" in 1881, 798.
 Guareschi, I., naphthalene - derivatives, 734.
 Guebard, A., reversibility of the electrochemical method for the determination of equipotential systems, 352.
 — theory of the equipotential figures obtained by the electrochemical method, 1156.
 Günther, O., analysis of crude zinc, 776.
 — analysis of metallic zinc, 553.
 Guillaume, M. L., manurial effects of natural phosphates, 993.
 Guinochet, E., aconitates, 717.
 Gustavson, G., decomposition of the hydrocarbons from petroleum at a low temperature, 27.
 — decomposition of hydrocarbons of American and Caucasian petroleum, 374.
 — preparation of aluminium iodide, 364.
 — transformation of carbon chlorides into bromides, 375.
 Guthzeit, M., ethylic salts of ethyl- and isobutyl - chloromalonie acids, ethyl- and isobutyl - tartaric, and hydroxyacetic acids, 39.
 Guthzeit. See also Conrad.
 Guyard, A. (H. Tamm), estimation of NO₂ and NO as ammonia, 773.

H.

- Haas, B., detection of magenta, archil, and persio, in wines, 1006.
 — estimation of sulphurous acid in wine, 773.

- Habel, L., quantitative estimation of chlorides in wine, 552.
- Habel, L., and J. Fernholz, a new method for the quantitative estimation of chlorides in wine, 551.
- Hadelich, W., analyses of white wine from Erfurt, 121.
- Hagen. See Liebermann, also Müller.
- Hager, H., estimation of arsenic, 99.
- qualitative and quantitative determination of fusel-oil in alcohol, 339.
- separation of magnesium from calcium, iron, and alkalis, 97.
- Haiss, A., α -ditolylpropionic acid, 1071.
- Haitinger, L., presence of citric and malic acids in *Chelidonium majus*, 82.
- Hall. See Remsen.
- Halberstadt, W., dibromobenzoic acid from orthoparadinitrobenzoic acid, 183.
- preparation of vanadium trichloride, 1268.
- Haller, A., campholurethane, 1213.
- carbonic ether of borneol, 528.
- cyanic ether of borneol, 625.
- essence of Savory, 737.
- ethyl cyanomalonate, 1189.
- Haller, A., and A. Held, ethyl aceto-cyanacetate and its derivatives, 1280.
- Hallock, W., galvanic polarisation and Smee's element, 1155.
- Hammerbacher, F., composition of mixed human saliva, 754.
- Hammerl, H., hydration of salts, 1163.
- Hanamann, changes effected by cultivation of forest lands, 1129.
- impoverishment of soils by removal of straw, 991.
- Handl. See Pribram.
- Handerwick. See Michel.
- Hanhart, U., action of copper on benzotrichloride, 1103.
- Hannay, J. B., absorption of gases by solids, 272.
- artificial formation of the diamond, 281.
- limit of the liquid state, 136.
- state of fluids at their critical temperature, 268.
- the liquid and gaseous states, 688.
- Hannay, J. B., and J. Hogarth, solubility of solids in gases, 271.
- Hanriot, symmetrical dichlorethyl oxide, 590.
- Hanriot and S. Economides, met-aldehyde, 31.
- Hansen, E. C., researches on the physiology and morphology of the alcoholic ferment, 80.
- Harding, A., preparation and applications of hydrobromic acid, 138.
- Harnack, F., compounds of copper with albumin, 747.
- Hartley, W. N., and A. K. Huntington, spectroscopic examination of essential oils, 130.
- Hartley. See also Moritz.
- Haushofer, action of acetic acid on dolomite, 659.
- Hautefeuille, P., crystallisation of cadmium and zinc sulphides, 363.
- crystallography of a variety of blende, 369.
- Hautefeuille, P., and J. Chappuis, liquefaction of ozone, 923.
- pernitric acid, 800, 927.
- retrogradation produced by the electric discharge during the conversion of oxygen into ozone, 688.
- Hautefeuille, P., and J. Margottet, silica and lithium silicates, 278.
- d'Havrincourt, manufacture of nitro from the salts of osmose-water, 1012.
- Hawes, G. W., liquid carbonic anhydride in smoky quartz, 474.
- mineralogical composition of the normal mesozoic diabase on the Atlantic border, 585.
- Haycraft, J., preliminary notice of a method for the quantitative determination of urea in the blood, 667.
- Hayduck, M., development of yeast in solutions containing a varying quantity of nitrogen, 761.
- influence of acids on the formation and activity of yeast, 417.
- v. Hayn. See Thurnlackh.
- Hecht, O., isoheptoic acid from β -hexyl iodide, 40.
- Hecht, O., and F. Iwig, oxidation of mannitol by an alkaline solution of potassium permanganate, 157.
- Hecht, O., and F. Schlagdenhaufen, analysis of kola nuts, 1125.
- Heckel, E., and others, composition of globularia, 1224.
- Hedde, M. F., substances which may prove to be new minerals, 288.
- Heindl, J. B., crystalline compounds of calcium chloride with alcohols, 27.
- Heine and Drechsler, experiments on potatoes and sugar-beet with potassium sodium nitrate, 771.
- Heim. See Weber.
- Heinrich, R., amount of ammonia absorbed by hydrochloric acid from the air, 798.
- experiments on thin and thick seed sowing, 329.
- Held. See Haller.

- Hell, C., and F. Urech, action of bromine on carbon bisulphide, 945.
 ——— diagnosis of tertiary alcohols, 1040.
 ——— new compound of carbon with sulphur and bromine, 706.
 Hell. See also Gantter.
 Helm, O., composition of coal, 931.
 Hempel, W., absorption of oxygen by metallic copper, 551.
 ——— apparatus for fractional distillation, 551.
 ——— decomposition of silicates by bismuth oxide, 552.
 ——— estimation of nitrous oxide, 1132.
 ——— preservation of vulcanised caoutchouc, 1152.
 ——— solubility of gases in absorption liquids, 1132.
 ——— solubility of gases in vulcanised caoutchouc, 1132.
 Henneguy and others, contributions to the Phylloxera question, 888.
 Henninger, A., presence of glycol in wine, 1249.
 Henninger. See also Vogt.
 Henriques. See Friedländer.
 Henry, L., action of hypochlorous acid on chlorallyl chloride, 1039.
 Herbst, E., examination of chocolate, 1139.
 Herlandt, A., black hellebore root, 1125.
 Hermann, L., on milk, 759.
 Herold, F., orthanisidine derivatives, 1287.
 Herrmann, F., ethyl succinosuccinate, 712.
 Herroun, E. F., volumetric estimation of antimony in presence of tin, 661.
 Herter, E., the pancreatic secretion of man, 753.
 Herter, E., and others, researches on the pancreatic secretion, 753.
 Hertel, J., preparation and derivatives of colchicine, 74.
 Herzig, J., action of sulphuric acid on mono-, di-, and tri-bromobenzene, 46.
 ——— biuret cyanurate, 167.
 ——— constitution of guaial, 593.
 ——— phenolorthosulphonic acid, 407.
 ——— trigenic acid, 168.
 Herzig. See also Goldschmidt.
 Hesse, O., cinchona alkaloids, 1113.
 ——— cinchonidine and homocinchonidine, 228.
 ——— fresh occurrence of aricine and cusconine, 317.
 ——— phytosterin and paracholesterin, 729.
 ——— the Quebracho drugs from the Argentine Republic, 742.
 Heumann, K., nomenclature of complicated azo-compounds, 1061.
 ——— non-luminosity of the Bunsen lamp, 129.
 Heumann, K. and P. Kochlin, behaviour of sulphuric monochloride with some elements, 927.
 ——— formation of acid chlorides by aid of sulphuric monochloride, 1185.
 Heut, G., observations on the composition of steeped barley, 761.
 Hewitt, A. W., notes on the diabase rocks of the Buchan district, 584.
 Heyer, C., oxidation of cane-sugar, 1041.
 Heyward, B. H., a zinc-bearing clay from the neighbourhood of the Bertha zinc mine, Purlaski Co., Virginia, 24.
 ——— presence of ammonia in human saliva, 78.
 Hidden, W. E., meteoric iron from Whitfield Co., Georgia, 153.
 Hill, H. B., production of furfural by the dry distillation of wood, 296.
 ——— pyroxanthin, 306.
 Hill, H. B., and C. W. Andrews, dibromacrylic and tribromopropionic acids, 1186.
 Hill, S. A., the constituent of the atmosphere which absorbs radiant heat, 566.
 Hindenlang, C., metaphosphoric acid as a test for albumin, 110.
 Hinteregger. See Maly.
 Hjelt, E., action of bromine on allyl-malonic acid, 947.
 ——— action of hydrobromic acid and bromine on diallylacetic acid, 946.
 ——— action of water on isobromocaproic acid, 944.
 ——— boiling points of lactones, 947.
 ——— caprolactone, 946.
 ——— dilactones, 946.
 ——— oxypropylmalonic acid and its lactone, 948.
 Hjelt. See also Fittig.
 Hock, C., spectra of certain alkaloids and glucosides, 349.
 Hoermann, J. v., new colouring matters, 1067.
 Hofmann, A. W., action of bromine in alkaline solution on amides, 822, 950, 1052.
 ——— preparation of amides of monobasic acids of the paraffin series, 950.
 Hofmann. See also Boehm.
 Hofmeister, T., bodies in urine precipitable by phosphotungstic acid, 755.

Hofmeister, F., deportment of various phosphates in the soil, 550.
 — digestion of cellulose, 237.
 — peptone in the blood, 78.
 Hofmeister. See also Ellenberger.
 Hogarth. See Hannay.
 Holdefleiss, linseed cake and linseed meal, 549.
 Holdefleiss and Emmerling, preservation of stable manure in deep stalls, 333.
 Hoogewerff, S., and W. v. Dorp, behaviour of cinchomeric acid on heating, 311.
 Hoppe-Seyler, F., chlorophyll, 412.
 — on urea in the liver, 754.
 Houdard, estimation of "plaster" in wines, 425.
 Hübner, H., anhydro-compounds, 180, 503.
 Hufner, G., contributions to the chemistry of the bile, 874.
 Hüppe, F., behaviour of unorganised ferments at high temperatures, 317.
 Hüppe. See also Wolffhügel.
 Huggins, W., photographic spectra of stars, 250.
 — spectrum of the flame of hydrogen, 250.
 Hunt, T. S., separation of copper from the precious metals, 119.
 Hunt. See also Mills.
 Huntington, O. W., revision of the atomic weight of cadmium, 363.
 Huntington. See also Hartley and Siemens.
 Hussak, E., pierite porphyry of Steierdorf, in the Bannat, 587.
 Husemann, T., ptomaines, 246, 635.
 — ptomaines, and their importance in judicial cases, 1006.

I.

Iles, M. W., a new manganese mineral, 578.
 Isambert, ammonium bisulphide and ammonium cyanide, 1021.
 — tension of the vapour of ammonium carbamate, 269.
 Istel. See Claus.
 Iwig. See Hecht.

J.

Jackson, C. L., and W. Lowery, parabromobenzyl compounds, 170.
 Jackson, C. L., and A. E. Menke, curcumin, 1107.

VOL. XLII.

Jacobsen, O., hydroxytoluic and hydroxyphthalic acids, 193.
 — metatoluic acid and its derivatives, 185.
 — methylation of benzene by methyl and aluminium chlorides, 390.
 — the third xylic acid and its corresponding xylidenic acid, 187.
 Jacobsen, O., and R. Neumeister bromochloral, chlorobromal, bromochloroform and chlorobromoform, 938.
 Jacobsen, P., constitution of β -naphthaquinone, 204.
 Jacobsen. See also Liebermann.
 Jacquelain, pure carbon for the electric light, 1142.
 Jacquemart, F., influence of superphosphates on the percentage of sugar in beets, 1314.
 Jahn, H., attempts to prepare amines of secondary alcohol radicles, 820.
 — vapour-density of bromine, 794.
 Jahne, L., composition of some forest seeds, 643.
 Jahns, E., occurrence of carvacrol in the ethereal oil of garden sage (*Satureia hortensis*), 1065.
 — campheride, 208.
 — galagin and alpinin, 866.
 — strychnine hydrate, 74.
 Jaksch, R. v., occurrence of acetoacetic acid in urine, 1120.
 Jamieson, T., Aberdeenshire experiments on the relative value of soluble and insoluble phosphates, 653.
 Jamin and G. Maneuvrier, appearance of the electric arc in vapour of carbon bisulphide, 1157.
 — effects produced in a vacuum by the current from a Gramme machine, 913.
 Janeck, G., Croatian bread, 1151.
 Janke, L., examination of milk, 661.
 Janny. See V. Meyer.
 Janovsky, J. V., a new azobenzene-disulphonic acid, 48.
 — azobenzenesulphonic acid, 834.
 — nitro-derivatives of azobenzene-parasulphonic acid, 1285.
 Jawein. See Beilstein.
 Jay, plastering of wine, 96.
 Jean, F., clarification of must in the manufacture of champagne, 1145.
 — estimation of tannin and œnogallic acid in wines, 780.
 — titration of œnolin and œnotannin in wine, 430.
 Jean, F., and others, analyses of wine, 1137.
 Joannis, heat of formation of hydroferrocyanic acid and of some ferrocyanides, 791.

- Joannis, heat of formation of palladium compounds, 1258.
 — heat of formation of thiocyanic acid and of some thiocyanates, 1158.
 — hydroferricyanic acid, 790.
 — sodium and barium cyanides, 483.
 — strontium, calcium, and zinc cyanides, 484.
 Job, A. T., production of benzoic acid and bitter almond oil from toluene, 1146.
 Jodin, photochemical reaction of ferric oxalate, 911.
 Jörgensen, S. M., chromammonium compounds, 468, 1167.
 — rhodium-ammonium compounds, 1173.
 Johanson and others, adulteration of butter, 559.
 Johnstone, D. E., preparation of nitric oxide, 692.
 Joly, A., saturation of phosphoric acid by bases, 692.
 Jones, J. B., and others, galvanising iron, 119.
 Jordan, W. H., composition of "Timothy grass" at different periods of growth, 1127.
 Jorissen, A., presence of furfural in fermented liquids, 941.
 — separation of nickel and cobalt, 1234.
 Jorriow, A., detection of fusel oil in spirit, 429.
 Jünemann. See Kroupa.
 Jüptner, H., volumetric estimation of lead by potassium permanganate, 897.
 Jungfleisch, E., decomposition of racemic acid, 602.
 Jungfleisch and Lefranc, levulose, 158.
 Jurisch, K. W., purification of soda-lye by zinc, 903.
 Justin, V., normal α -amidovaleric acid, 599.
 Jutz, G. W., monochlorocinnamic acid, 1073.

K.

- Kabloukoff, I., new method for obtaining oxymethylene (methaldehyde), 824.
 Kachler, J., action of nitric acid on brominated fatty acids, 36.
 Kachler, J., and F. V. Spitzer, borneolcarboxylic acid and camphocarboxylic acid, 66.

- Kachler, J., and F. V. Spitzer, two isomeric dibromocamphors and monobromo-camphor, 864.
 Kaiser, effect of gypsum on the constitution of wine, 434.
 Kalischer, S., influence of heat on the molecular structure of zinc, 792.
 — molecular structure of metals, 792.
 Kanonnikoff, influence of the structure of organic substances on their refractive power, 349.
 Kaspar, O., analysis of commercial potassium iodide, 96.
 Kauffmann, G., β -naphtholaldehyde, 1068.
 Kaufmann, F., polysubstituted carbamides, 183.
 Kaveic, J., heliographic printing, 1009.
 Kayser, E., amidocresyl ethyl oxides, 1203.
 — nitrated cresyl ethyl oxide, 1202.
 Kayser, H., influence of pressure and temperature on the surface condensation of gases, 270.
 Kayser, R., alkaline earths in wine, 121.
 — estimation of potash in wine, 336.
 Kelbe, W., displacement of the sulphogroup by bromine, 618.
 — metaisocymene, 299.
 Kelbe, W., and C. Warth, caproic acid present in rosin oil, 711.
 Keller. See also Michler.
 Keller, G., artificial pseudomorphs of gothite, limonite, and hematite, 576.
 Kellner, O., amount of non-albuminous nitrogen in roots, 83.
 — effect of feeding on the weight of animals, 77.
 Kennepohl. See Weiske.
 Kenn Gott, A., the formula of tetrahydrite, 147.
 Kerr, J., electro-optic experiments on various liquids, 678.
 Kerr. See also Genth.
 Kessler, F., titration of ferrous oxide with permanganate in presence of hydrochloric acid, 1323.
 Kiepenheuer. See Wallach.
 Kietz, A., digestion in the stomach, 877.
 Kiliani, H., action of gluconic, saccharic, lactic, and mucic acids on an alkaline copper solution, 429.
 — gum arabic, 591.
 — preparation of lactic acid, 715, 827.
 — saccharin, 820.

- Kimber, J. W., experiments on the application of various phosphates as manures for swedes, 91.
- Kingzett, C. T., direct production of phenol from benzene, 394.
- Kinnear, J. B., estimation of nitric nitrogen, 1317.
- Kinnicutt, L. P., decomposition of phenyltribromopropionic acid by water, 730.
- indirect determination of chlorine and bromine by electrolysis, 772.
- Kircher. See Müller.
- Kisielinski, E., recovery of nitrogen from molasses waste, 669.
- Kissel, estimation of alkaloids in quinine barks, 899.
- Kissel, J., constitution of nitroethane, 375.
- constitution of the nitro-products of the fatty series, 935.
- Kissling, R., determination of nicotine in tobacco, 1005.
- presence of nicotine in tobacco-smoke, 906, 1253.
- Kittler, E., tension differences between a metal and liquids of different degrees of concentration, 687.
- Klein, D., colloidal tungstic acid, and its analogy with paratungstic acid, 469.
- constitution of complex mineral acids derived from tungstic acid, 368.
- tungstoborates, 17.
- Klepl, A., solubility of anhydrous copper sulphate in methyl alcohol, 1274.
- two anhydrides of parahydroxybenzoic acid, 1293.
- Klien, manuring experiments at Königsberg, 1130.
- Klinger, H., formation of trimethylsulphine iodide, 1045.
- preparation of azoxybenzene, 1061.
- sulphobenzene, 1058.
- Klinkhardt, A., mucic acid and dehydromucic acid, 498.
- Knapp, H. v., and G. Schultz, action of ammonia and ammonia bases on chlorinated quinones, 510.
- Knecht, E., fluorescein reactions, 969.
- mesorcinol, 1200.
- new isomeride of orcinol, 728.
- Knop, W., quantitative estimation of potassium and sodium, 1132.
- Knops, asbestos fabrics, 116.
- Knorr, L., piperylhydrazine, 1115.
- Knorre. See Wolffhügel.
- Knublauch, O., estimation of ammonia, 1230.
- preparation of standard acid, 1230.
- Koch, Baumgarten, and Toussaint, researches on the cause of tuberculosis, 1120.
- Koch, L., manuring experiments on potatoes and barley, 1130.
- Koch, R., and G. Wolffhügel, disinfection by the aid of hot air, 1143.
- Köchlin, H., and O. N. Witt, a new class of colouring matters, 675.
- Koechlin, J., application of tannin, 787.
- Köchlin, P., and K. Heumann, reactions of sulphuryl chloride, 1262.
- König, A., absorptive capacity of humous matter, 889.
- König, F., preparation of succinic acid from tartaric acid, 715.
- König, G. A., action of charcoal on a solution of gold chloride, 809.
- bergerite, a new mineral, 575.
- jarosite from a new locality, 577.
- König, J., analysis of mud, 550.
- composition of hay grown under the influence of different manures, 1127.
- contribution to the knowledge of Westphalian soils, 767.
- gypsum manures, 1316.
- influence of factory waste water and gases on vegetation and soil, 331.
- on marl, sea mud, &c., 551.
- König, J., and Deichmann, composition and use of peat, 769.
- König, J., and C. Krauch, alteration in the composition and action of irrigating water, 655.
- König, J., and others, preparation and preservation of various fodders, 1128.
- Koenigs, W., constitution of cinchonine, 224.
- Koerner, G., products of the transformation of quinoline, 739.
- Koerner, G., and A. Menozzi, elimination of nitrogen from tyrosine, 730.
- Koeth, D. v., clarification of must, 347.
- Konowaloff, D., vapour-tension of mixed liquids, 136.
- Kopp, H., development of a crystal of one substance in the solution of a different compound, 1269.
- Koppe. See Tiemann.
- Koschirsk, M., action of organic zinc compounds on the bromides of α -monobrominated acids of saturated series, 36.
- Kossel, A., distribution of hypoxanthine in the animal and vegetable kingdom, 79.
- origin of hypoxanthine in the organism, 759.

- Krafft, F., normal paraffins.—A law of volumes for the liquid state, 1272.
 — normal paraffins, 1271.
- Krafft, F., and B. Stauffer, nitrites of the higher members of the acetic series, 1273.
- Krafft. See also Fittig.
- Krahe, cultivation of osiers, 888.
- Kramberger, pilarite, a new mineral of the chrysocolla group, 582.
- Kramer, E., loss of starch occasioned by the sprouting of potatoes, 242.
- Kratschmer, F., quantitative estimation of glycogen, dextrin, and amyllum, 558.
- Kratschmer. See also Seejen.
- Kratter, J., adipocere, 760.
- Krauch, C., composition of the milk of wet-nurses, 986.
 — peptone-ferming ferment in plants, 880.
- Krauch. See also König.
- Kraus, F., estimation of magnesia in wine by titration, 775.
- Kraus, G., water distribution in plants, 327.
- Kraut, K., compounds of bismuth iodide with organic bases, 528.
 — history of tropine, 415.
- Kretschy. See Barth.
- Kriewitz, cultivation of potatoes, 83.
- Krocker and H. Grahl, manuring with various phosphates, 770.
- Krouchkoll, variation in friction produced by electrical polarisation, 1257.
- Kroupa, F., and Jünemann, experiments on the recovery of sugar from molasses, 784.
- Krüss, H., improved slit for spectro-scope, 1229.
- Kruss, G., constitution of solutions, 1018.
- Krutwig, J., detection of traces of silver in lead ores, 774.
 — silver plumbite and quantitative estimation of silver in lead ores, 1134.
- Kubel, W., basic magnesium acetate, 825.
- Kublauch, O., determination of sulphur in coal-gas, 1326.
- Kühn, J., and others, researches on plant parasites and plant diseases, 888.
- Külz, E., cystine, 1206.
 — glycogen, 1043.
 — urochloralic acid, 76, 1116.
- Kuhara. See Remsen.
- Kunkel, A. J., electrical researches in plant and animal forms, 638.
- Kupfferschläger, preparation and use of ammonium molybdate solution, 554.
- Kupfferschläger, separation of cadmium and zinc, 97.
- Kurbatoff. See Beilstein.

L.

- Laar, C., azophenyldiparasulphonic acid, 194.
- Labesius, Fesca's separator, 124.
- La Coste, W., addition-products of the bases obtained from quinoline and the alkyl chlorides and iodides, 1112.
 — behaviour of the addition-products of quinoline and monohaloid paraffin-derivatives with silver oxide, 980.
 — halogen derivatives of quinoline, 978.
- Ladenburg, A., alkines, 165, 1193.
 — attempted synthesis of tropine and its derivatives, 534.
 — decomposition of tropine, 216, 983, 1206.
 — hyoscine, 229.
 — piryrene, 983.
 — tropeine derivatives, 984.
 — tropine, 216.
- Ladureau, A., maize cake from distilleries, 671.
 — manuring with phosphates in the Département du Nord, 1228.
 — part played by fat during the germination of seeds, 883.
 — phosphoric acid in arable soils, 767.
 — utilisation of residues, 248.
 — utilisation of sewage, 248.
- Lages. See Emmerling.
- Lambert. See Chittenden.
- Lan, effects of compression on steel, 1145.
- Landolt, H., molecular refraction of liquid carbon compounds, 909.
- Landrin, E., ammoniacal citrates, 604.
 — solubility of calcium aluminates in water, 903.
- Landsberg, E., fate of morphine in the animal body, 543.
- Landsberg. See also Baeyer.
- Landwehr, H. A., albuminoids of the *vesicula seminalis* in guinea pigs, 543.
 — the mucin of *Helix Pomatia* and a new carbon hydrate, achroo-glycogen, 708.
- Langbein, G., use of bromine in the analysis of nickel and cobalt, 99.
- Langenbeck, B. v., tripolite compared with gypsum, 116.
- Langer, C., laws of substitution of aromatic amines, 954, 1058.

- Langer, L., chemical composition of human fat at different ages, 240.
- Lasaulx, A. v., mineralogical notices, 284.
- La Tour du Breuil, new method of extracting sulphur, 115.
- Latschinoff, P., isocholanic acid, 873.
- Laubenheimer, A., orthodinitro-compounds, 953.
- Laur, P., electric current produced by light, 352.
- reduction of silver minerals by hydrogen in the wet way, 1246.
- Lauterbach, P., dinitronaphtholsulphonic acids, 63.
- Lauth, C., products of the distillation of beet-molasses waste, 1256.
- Lawes, J. B., relation between the decomposition and formation of carbonic anhydride, 548.
- Lawes, Gilbert, and Warrington, rain and drainage water collected at Rothamsted, 889.
- Lebl, M., internal growth of potatoes, 641.
- Le Bon, G., calcium and sodium glyceroborates, 1244.
- Lechartier, G., composition of buckwheat, 642.
- modification of green fodder preserved in pits, 329.
- Le Chatelier, H., Portland cements, 1143.
- Le Chatelier. See Mallard.
- Leclerc, A., and others, valuation of fodders, 549.
- Leclerc, decorating mirrors and metallic surfaces by the aid of photography, 247.
- Lecouteux, E., value and composition of sheep-dung, 1315.
- Lederer, A., preparatory treatment of manganese ores for the production of ferromanganese and crude manganese in the blast furnace, 1144.
- Leeds, A. R., acrolein-carbamide, 1195.
- action of hydrogen dioxide on aromatic compounds, 501.
- diphenylamine aldehyde, 1197.
- direct conversion of the aromatic amides into their corresponding azo-compounds, 47.
- Leeds, A. R., and E. Everhart, analyses of mustard, 1007.
- Leeuw, M. C., composition of water in which malt had been steeped, 993.
- method of freeing maize from fat before employing it for the manufacture of spirit, 348.
- dari, 1224.
- phosphoric acid in the urine of Graminivora, 636.
- Leeuw, M. C., phosphoric acid in the urine of ruminants, 543.
- Lefort, J., action of arsenic and phosphoric acids on the sodium salts of tungstic acid, 702.
- beet-root wine, 1336.
- Lefort, J., and P. Thibault, influence of gum arabic on certain reactions, 1322.
- Lefranc. See Jungfleisch.
- Lehmann, J., occurrence of titanium minerals in the Saxon granulites, 580.
- Lehrfeld, T., action of ammonia on dibromosuccinic acid and on ethyl dibromosuccinate, 163.
- Leidie, E., solubility of the different modifications of tartaric acid in water, 1191.
- Leizour, H., and Nivet, fodder cabbages, 423.
- Lellmann, E., a new class of amidines, 1061.
- a new method of preparing methenyldiphenylamidine, 503.
- diphenylamine and paraditolylamine, 1059.
- Lemoine, G., chemical action of light, 129.
- sulphur salts derived from phosphorus sesquisulphide, 9.
- Lenz, W., reactions of aloes, 1239.
- Leone, T., action of sulphuric chlorhydrin on nitrocymene, 722.
- amyl-naphthalene, 1210.
- Lepine, N., incompletely oxidised sulphur in urine, 560.
- Less, E., application of the telephone to the estimation of resistances in galvanic circuits and batteries, 789.
- Letts, E. A., phosphorus-betaines, 718.
- Letts, E. A., and N. Collie, tetra-benzylphosphonium salts, 724.
- Leuckart, R., behaviour of the isomeric monobromocinnamic acids with concentrated sulphuric acid, 615.
- Leuken, C., action of potassium permanganate on benzoic acid, &c., 1328.
- Levy, A., influence of light on the ripening of grapes, 419.
- Levy, A. M., polychroic nuclei of black mica, 811.
- spherulites in eruptive rocks, 705.
- Levy, M., and L. Bourgeois, dimorphism of stannic acid, 1030.
- Levy, S., and G. Schultz, chlorine and bromine derivatives of quinone, 509.
- Lévy. See also Fouqué.
- Lewis, H. C., philadelphite, a new mineral species, 152.

- Lewkowitsch, J., preparation of dextrorotary mandelic acid from the optically inactive acid, 1076.
- Leymann, H., derivatives of α -dinitrochlorobenzene, 1057.
- Lichtenstein, L., dry distillation of the mucates of aromatic amines, 178.
- Lidoff, A., solubility of aluminium gallate in water, 849.
- Lidoff, A., and W. Tichomiroff, formation of hypochlorites and chlorates from chlorides by the action of the electric current, 925.
- Liebermann, C., azoanthrol colours, 976.
- constitution of the thiohydantoins and thiocarbamates, 296.
- preparation of α -naphthaquinone, 203.
- reduction in the anthraquinone series, 855.
- Liebermann, C., and A. Bollert, anthramine, 1105.
- Liebermann, C., and A. Hagen, naphthol and anthrol ethers, 1212.
- Liebermann, C., and P. Jacobsen, formation and constitution of β -naphthaquinone and some of its derivatives, 521.
- Liebermann, L., apparatus for the determination of the melting point of easily fusible metals and alloys, 914.
- detection of sulphurous acid in wine and other liquids, 994.
- dry distillation of tartaric acid, 948.
- flashing point of petroleum, 1326.
- sulphurous acid in wine, 994.
- Liebig, H. v., solubility of phosphates in soil by acids contained in the roots of plants, 334.
- Liebmann, A., synthesis of phenols, 171, 727.
- Liebscher, use of the ferment *Eurotium Oryzæ* in Japan, 247.
- Limpricht, H., acid produced by the action of hydrogen bromide on the diazo-derivative of hydrazobenzene-sulphonic acid, 518.
- azobenzenedisulphonic acids, 1197.
- azobenzenesulphonic acids, 516.
- sulphonic acids of oxyazobenzene, 1074.
- Lindgren, W., mimetosite from Laangban, 283.
- Lindo, D., estimation of chlorine with the aid of Gooch's method of filtration, 894.
- Lindström, G., analysis of thorite from Hitterö, 290.
- analyses of two minerals from Laangban, 291.
- Link. See Michaelis.
- Lipp, A., normal butaldehyde-ammonia and normal amidovaleric acid, 709.
- tri-isobutylidenediamine, 164.
- Lipp. See also Erlenmeyer.
- Lippit, T. P., analysis of epidote from near Greenwood, Albemarle Co., Virginia, 24.
- Lippmann, E. O. v., occurrence of α -hydroxyglutaric acid in molasses, 1190.
- Liveing, G. D. and J. Dewar, identity of spectral lines of different elements, 253.
- inversion of the cyanogen spectrum, 1.
- note on the history of the carbon spectrum, 251.
- reversal of the lines of metallic vapours, 254.
- spectra of compounds of carbon with hydrogen and nitrogen, 252.
- spectrum of magnesium, 255.
- spectrum of magnesium and lithium, 254.
- spectrum of water, 251.
- Ljubavin, N., diamidosuccinic acid, 828.
- glyoxaline, 821.
- iron ore containing manganese from the neighbourhood of St. Petersburg, 471.
- Lloyd. See Mabery.
- Lockyer, J. N., new method of spectrum observation, 249.
- notes on the reduction of observations of the spectra of 100 sun spots, 250.
- spectrum of carbon, 251.
- Loe. See Tollens.
- Löbbecke, H., manuring with saltpetre superphosphate and precipitated phosphate, 1229.
- Loebisch, W. F., and A. Loos, action of carbonic oxide on monosodium glyceride, 377.
- glyceryl xanthates, 164.
- preparation of disodium glyceride, 377.
- Loew, O., occurrence and formation of fluorine, 459.
- preservation of milk, 1148.
- Loew, O., and T. Bokorny, aldehyde-like nature of living protoplasm, 547.
- chemical distinction between living and dead protoplasm, 546.
- reducing action of living protoplasm, 882.

Loges. See Emmerling.

Longi, A., composition of the crystals deposited on the zincs in Leclanché's battery, 697.

— decomposition of oxalic acid by the action of aqua regia, 715.

Loos. See Loebisch.

Lorenz, N. v., action of metallic lead on aqueous solutions of lead nitrate, 364.

Lorin, influence of heat and the proportion of glycerol on the decomposition of oxalic acid, 389.

Losanitsch, S. M., action of carbon bisulphide on paranitraniline, 955.

— action of nitric acid on tribromaniline, 954.

— action of phenylthiocarbimide on the nitranilines, 183.

Louguinine, W., heat of combustion of pinacone, 356.

— heats of combustion of some members of the paraffin series, 567.

Louvet, determination of alum and gypsum in wine, 96.

Lowe. See Smith.

Lowery. See Jackson.

Ludwig, E., detection of mercury in animal substances, 100.

— distribution of arsenic in the animal organism after administration of arsenious anhydride, 416.

— estimation of uric acid, 108.

Lugli, F., synthesis of naphthylacrylic acid, 205.

Luik. See Seubert.

Lunge, G., action of sulphurous anhydride on nitric oxide in presence or absence of oxygen, 139.

— analysis of dynamite, 1327.

— behaviour of nitrogen peroxide in the manufacture of sulphuric acid, 1162.

— behaviour of nitrogen tetroxide with sulphuric acid, 1010.

— determination of nitrous oxide, 245.

— existence of nitrous anhydride in the state of vapour, 926.

— purification of naphthalene, 202.

— solidifying points of sulphuric acid of different degrees of concentration, 362.

— technical chemical notes, 562.

— test methods for soda works, 773, 895.

Lunge, G., and T. Steinkauler, new hydrocarbon from *Sequoia gigantea*, 208.

Lurie. See Birnbaum.

Lustgarten, S., a nitric ether formed by the action of nitric acid on glycogen, 159.

M.

Mabery, C. F., and R. Lloyd, dibromiodiacrylic and chlorobromiodiacrylic acids, 1048.

Mabery, C. F., and F. C. Robinson, orthiodobenzyl bromide and its derivatives, 1057.

Mabery, C. F., and H. C. Weber, chlorotribromopropionic acid, 1047.

Macagno, I., changes which lemon juice undergoes, 435.

Mackintosh, J. B., electrolytic determination of copper, 660.

— electrolytic determination of copper and composition of so-called allotropic copper, 428.

Märcker, M., comparative value of "reduced" and "soluble" phosphoric acid in superphosphates, 91.

— contributions from the experimental station at Halle, 422.

— manuring of fen lands with kainite, 771.

— manuring of sugar-beet, 654.

— new source of phosphoric acid, 1229.

— potash salts as manure for sugar-beet, 1130.

— retardation of fermentation by certain substances, 80.

— suggestion for a uniform method of estimating soluble phosphoric acid, 994.

— valuation of crude spirit, 1145.

— value of different varieties of sugar-beet, 424.

Magatti, G., action of bromine on naphthalene, 203.

— attempted synthesis of pyrogallol, 175.

Magerstein, T., physico-chemical changes produced in potato-starch by boiling, 422.

Magerstein, V. T., the time in which potash exercises the greatest influence in plants, 988.

Magerstein, V. T., and F. Bilek, effects of pruning the tops and roots of fruit trees, 1224.

Mahon, R. W., benzyl-derivatives of the xylene-sulphonamides, 1208.

— derivatives of parahydroxymetatoluic acid, 1205.

— volumetric estimation of zinc by titration with potassium ferrocyanide, 775.

Mailfert, action of ozone on metallic salts and oxides, 1161.

- Mailfert, oxidation by ozone, 797.
- Mainzer, K., products of the decomposition of mixed aromatic thiocarbamides, 1212.
- Mallard, danger of gas explosions, 920.
- Mallard and Le Chatelier, specific heats of gases at high temperatures, 449.
- temperatures of combustion and dissociation of carbonic anhydride and water-vapour, 453.
- Mallet, J. W., determination of organic matter in potable water, 1324.
- revision of the atomic weight of aluminium, 279.
- Maly, R., "acidity" of blood-serum and other animal fluids, 1221.
- yolk pigments, 76.
- Maly, R., and R. Andreasch, caffeine and theobromine, 629.
- Maly, R., and F. Hinteregger, action of bromine on caffeine, 629.
- Mandelin, K., occurrence of salicylic acid in the *Violaceæ*, 548.
- Maneuverier. See Jamin.
- Mangini, F., potassio-bismuthous iodide as a test for alkaloïds, 900.
- Mann. See Graebe.
- Maquenne, absorptive and diffusive power of leaves, 81.
- action of ozone on manganous salts, 1032.
- Maquenne. See Déhérein.
- Marcano, V., fermentation of starch. Presence of a vibriole in germinating maize and in the stalk of the plant, 1311.
- Marchetti, C., ethylnaphthalene and some of its derivatives, 410.
- Marek, G., Bertel's method of sugar-beet growing, 244.
- Margottet. See Hautefeuille.
- Markownikoff and Ogloblin, researches on petroleum from Caucasus, 390.
- Marowsky, A., pseudochrysolites of Moravia and Bohemia, 581.
- Marquardt, L., estimation of fusel-oil in brandy, 1235, 1327.
- Marsden, R. S., crystallisation of silica from fused metals, 571.
- Martiny, B., Scherff's process for preserving milk, 1016.
- Mascart, R., estimation of carbonic anhydride in the atmosphere, 1137.
- Masure, F., researches on the evaporation of exposed water, and that in soil, and on the transpiration of plants, 87.
- Mattheoli. See Cossa.
- Mauméne, E. J., action of ammonia on cupric oxide, 1266.
- Mauméne, E., estimation of solid matter in wines, 557.
- inversion of sugar by carbonic anhydride, 490.
- rectification of alcohols, 487.
- theory of formates, 496.
- Mauro, F., sodium ammonium trimolybdate, 468.
- Mauro, F., and L. Danesi, volumetric determination of molybdic acid, 555.
- Mauro, F., and R. Panebianco, molybdenum dioxide, 701.
- molybdenum fluorides, 1171.
- Mauthner, J., rotatory power of tyrosine and cystine, 1206.
- Mauthner, J., and W. Suida, dibrom- and tribrom-acrylic acids, 162.
- Maxmuller. See Tiemann.
- May. See Claus.
- Mayer, A., action of rennet ferment, 1149.
- composition of duckweed, 422.
- temperature at which invertin is destroyed, 378.
- Mayer, A., and others, manuring experiments on unfertile sandy heath, 654.
- Mayer, V., and A. Janny, preparation of α -nitrosopropionic acid, 1047.
- Mayer. See Oppenheim.
- Mayet, V., and others, contributions concerning the Phylloxera question, 82.
- Mayrhofer. See Donath.
- Mazzara, G., action of benzyl chloride and zinc on natural thymol, 171.
- benzyloxyphenylacetic and paramethylbenzyloxyphenylacetic acid, 403.
- benzyloxyphenyl- α -propionic acid and benzylparamethyloxyphenyl- α -propionic acid, 1072.
- propylmetacresol and its derivatives, 1198.
- synthesis of phenols by means of anhydrous magnesium chloride, 838.
- Mehay. See Porian.
- Mehrle, N., improvement in sugar manufacture, 122.
- Meier, cultivation of lupines, 649.
- Meissl, E., change of milk-casein, 1147.
- maltose, 818.
- Meldola, R., action of benzyl chloride on diphenylamine, 502.
- Melikoff, P., derivatives of acrylic acid, 88.
- Mendelejeff, D., heats of combustion of hydrocarbons, 916.

- Menke. See Jackson.
- Menozzi. See Koerner.
- Menschutkin, N., additions to the researches on etherification, 817.
- etherification of alcohols and acids of double function, 485.
- etherification of polybasic acids, 383.
- formation and decomposition of acetanilide, 1084.
- influence of the molecular weight of homologous bodies on the course of incomplete reactions, 384.
- remarks on the theories of Bergmann and Berthollet, 793.
- researches on the determination of the chemical value of the constituents of organic acids, 595.
- v. Mering, action of diastatic ferments on starch, dextrin, and maltose, 749.
- reduction processes in the animal body, 952.
- Merling, G., tropine, 216, 739.
- Merz, V., and W. Weith, preparation of amines from phenols and alcohols, 179.
- synthesis of oxalic acid, 1049.
- Meschtersky, I., separation of barium from strontium and calcium in the form of chromate, 997.
- Messerschmidt, A., allylacetic acid and valerolactone, 35.
- St. Meunier, artificial production of peridote in presence of steam at the ordinary pressure, 286.
- Meyer, A., structure of starch grains, 1122.
- Meyer, F., acids obtained from xylene and phthalic anhydride, 848.
- Meyer, G. F., sugar manufacture without the use of animal charcoal, 905.
- Meyer, P. J., formation of substituted amidoglycollic acids in the preparation of paratolyl- and phenyl-glycine, 518.
- Meyer, R., preparation of benzyl alcohol, 170.
- tetrabromobenzene, 606.
- Meyer, R., and H. Boner, hydroxylation by direct oxidation, 195.
- Meyer, R., and E. Müller, constitution of cumic acid, 971.
- synthesis of parapropylbenzoic acid, 840.
- Meyer, V., lecture experiments, 689.
- nitroso-compounds and ketines, 940.
- Meyer, V., and H. Goldschmidt, estimation of the specific gravity of permanent gases at high temperatures, 1159.
- Meyer, V., and A. Janny, action of hydroxylamine on acetone, 1047.
- nitrogenous acetone derivatives, 1184.
- Meyer. See also Déhéraïn, Gabriel, Goldschmidt, and Rhousopoulos.
- Michael, A., paraconine, 215.
- synthesis of methyl-arbutin, 174.
- Michaelis, A., tolyl methyl ketone, 970.
- Michaelis, A., and P. Becker, monophenylboric chloride and some of its derivatives, 731.
- Michaelis, A., and L. Gleichmann, di- and tri-phenylphosphine, 1062.
- Michaelis, A., and A. Link, constitution of arsonium and phosphonium compounds, 305.
- Michaelis, A., and C. Paneck, homologues of phosphenyl chloride, 958.
- Michaelis, A., and A. Reese, preparation of triphenylphosphine, 1287.
- Michaelis, H., automatic gas extinguisher, 1243.
- Michel, K., and J. Handwerck, steeping barley, 1224.
- Michler, W., and E. Keller, polysubstituted carbamides, 182.
- Michler, W., and S. Pattinson, substituted derivatives of benzidine and diamidoditolyl, 199.
- Michler, W., and A. Sampaio, diamidobutyl compounds, 177.
- Michler, W., and A. Sarauw, methylphenylamidobenzoic acid, 183.
- Michler, W., and H. Walder, preparation of carbatriphenylamine, 180.
- reactions of dimethylaniline, 175.
- Michler, W., and A. Zimmermann, polysubstituted carbamides, 182.
- Mierzinski, preparation of black chalk, 248.
- Miller, J. B., method of printing and burning in of names, monograms, &c., on glass and porcelain, 785.
- new method of painting on glass, 127.
- Miller, O., some derivatives of phthalic acid, 404.
- Miller. See also Doeberner.
- Mills, E. J., melting points, 567.
- Mills, E. J., and J. H. Bicket, researches on chemical equivalence. I. Manganous and nickelous sulphates, 689.
- Mills, E. J., and B. Hunt, researches on chemical equivalence. II. Nickel and cadmium sulphates, 689.
- Milosch, H., deposit of calcium carbonate in dicotyleanous trees, 887.

- Mingioli, E., wax and buttery substance from the epicarp of the olive, 765.
- Miron and Bruneau, artificial production of calcite and witherite, 1270.
- Mixer, W. G., formation of urea from ammonia and carbonic anhydride, 721.
- Möhlau, R., and P. Oehmichen, dibromo- and tribromo-orthamidophenetoil and some of their derivatives, 395.
- Mohr, C., estimation of phosphoric acid, 1231.
- Moissan, H., potassium chromocyanide, 485.
- Moitessier. See Engel.
- Molisch, H., separation of calcium carbonate in the wood of dicotyledonous plants, 82.
- Moll, J. W., action of frost on evergreens, 549.
- Moltchanoffsky, N., azoxybenzene, 965.
- Monger, R., action of salt on molten copper of various degrees of dryness, 669.
- Monnier, D., and C. Vogt, artificial production of elementary organic forms, 356.
- Montlaur, A. L., manufacture of gal-
lein, &c., 126.
- Morelli, E., a new carbohydrate, 159.
- Morgan, T. M., action of the oxides of nitrogen on glass at a high temperature, 361.
- Morger, ammonia-fixing power of certain salts, 651.
- Morin, H., essence of linaloes, 737.
- Moritz, E. R., and A. Hartley, ash of cereals, 1313.
- Moritz, J., amount of sulphurous acid necessary to prevent the formation of "mother" in wine, 1336.
- effect of adding soda or acids to the water used for seasoning casks, 1337.
- Morley, E. W., accurate and rapid method for analysis of air, 335.
- Jolly's hypothesis as to the cause of the variations in the proportion of oxygen in the atmosphere, 278.
- numerical results for the mean ratio of oxygen to the sum of oxygen and nitrogen in atmospheric air, 1025.
- some conclusions as to the cause of the frequent fluctuations in the ratio of oxygen to nitrogen in the air at different times, 1026.
- some points in the construction of an apparatus for the accurate analysis of gases, 1131.
- Morley, E. W., variation of the amount of oxygen in the atmosphere, 278.
- Morley, R. F., oxypropyltoluidine, 723.
- Morris, J., influence of mass on chemical action, 1261.
- Morrison, R. M., method of preparing methylamine, 592.
- Moser, J. R., composition of hay grown on hills and meadows, 766.
- Moser, R. v., examination of oats, 647.
- Mott, H., absorption of sugar by animal charcoal, 122.
- Moutard-Martin. See Richet.
- Moyret, M., application of sulphurous anhydride in bleaching, 1337.
- Muck, F., occurrence of a mineral in the Courl Mine, Westphalia, 20.
- Mügge, O., felspar from rhombic porphyry of Christiana, 22.
- Mühlhäuser, O., orthoanisidine and amidodimethylquinol, 302.
- Müller, C. L., derivatives of para- and ortho-nitrocinnamic acid, 840.
- Müller, C. L., and G. Kircher, action of lead and manganese dioxides on the haloid salts of the metals in presence of acetic acid, 1132.
- Müller, R., methylethylacetic and hydroxymyristic acids in the essential oil of the fruit of *Angelica archangelica*, 496.
- Müller, W., preparation of grape-sugar by Neubauer's modification of Schwarz's method, 1275.
- Müller, W., and J. Hagen, precautions required in using Knapp's solution for estimating sugar, 558.
- Müller-Erzbach, W., affinities of metals for oxygen, as shown by the heat developed and contraction produced during combination, 451.
- affinity values of fluorine with the metals, as deduced from the law of smallest volumes, 137.
- affinity values of the silico-fluorides of the metals, as deduced from the law of smallest volumes, 1024.
- Müller-Jacobs, A., preparation of solid fatty acids, 1147.
- Müller. See also De la Rue, Erlenmeyer, and R. Meyer.
- Müntz, A., galactin, 707.
- preservation of malting barley, 1014.
- Müntz, A., and E. Aubin, proportion of carbonic anhydride in the upper regions of the atmosphere, 361.
- Müntz, A., and others, feeding horses with maize, 415.
- Muir, M. M. P., detection of tin in presence of antimony, 777.

- Muir, M. M. P., and C. G. Robbs, note on the action of sulphuric acid on zinc and on tin, 693.
 Mulder, E., normal cyanic acid, 590.
 Mulder, E., and H. G. L. van der Meulen, thermochemistry of ozone, 915.
 Musculus, F., and C. Amthor, wine made from unripe grapes, 1235.

N.

- Nägeli, C., growth of starch grains by intussusception, 761.
 Natterer, K., monochloraldehyde, 1045.
 Naudin, L., essence of angelica, 410.
 — preparation of cymene, 608.
 Naylor, W. A. H., fruit of *Omphalocarpium Procera*, 307.
 Nencki, M., bases found in putrefaction products, 1307.
 — combinations of mono- and bi-basic acids of the paraffin series with phenols, 1201.
 — plastered wines, 1248.
 Nencki, M., and N. Sieber, decomposition of grape-sugar and uric acid by alkalis, 378.
 — lactic acid in the urine in disease, and oxidation of the tissues in leukæmia, 1309.
 — — new derivatives of thiocarbamide, 501.
 — — physiological oxidation, 1307.
 Nesbit, A. A., detection of chloride of lime in water, 1316.
 Nessler, percentage of potassium carbonate and of phosphoric acid in wood ashes, 1313.
 — treatment of wine casks, 434.
 Nessler, J., examination of distilled waters, 347.
 — influence of the "mare" on wine, 1014.
 — percentage of sulphuric acid in red wines, 1320.
 — possibility of magenta disappearing from coloured wines, 347.
 Nessler, J., and M. Barth, analyses of wine, 999.
 — contributions to wine analysis, 1235.
 Nessler, T., preparation of essence of rennet, 1149.
 Neumeister, R., bromodichloroacetic acid and chlorodibromacetic acid, 943.
 Neumeister. See also Jacobsen.
 Neyreneuf, flow of gases and properties of flames, 568.

- Nicol, W. W. J., action of heat on thioformanilide, 611, 958.
 — action of potassium sulphide on chloroform, 589.
 Nichols, E. L., electrical resistance and coefficient of expansion of incandescent platinum, 354.
 Niederhausen, H. v., aromatic ethers, 1211.
 Nietzsche, R., naphthylsulphuric acid, 736.
 Nitzkowski and others, potato culture, 766.
 Nivet. See Leizour.
 Noack-Bessingen, manuring of fruit trees, 93.
 Nobbe, F., cultivation of *Dactylis glomerata* in Saxony, 422.
 — examination of a mixture of weed-seeds used as fodder, 1226.
 — influence of light on the germination of grass-seeds, 882.
 Nord, A., cultivation of some kinds of French sugar-beet, 243.
 Nord. See Pellet.

O.

- Oberlin and Schlagdenhauffen, analysis of the deposit from the waters of Schinznach, 589.
 Oberlin and Schlagden, the mineral water of Schinznach, 932.
 Oebbecke, K., contributions to the petrology of the Philippine and Palau Islands, 1034.
 Oeconomides, S., action of hydrochloric acid gas on isobutylaldehyde, 32.
 — compound obtained in the preparation of isobutylal, 32.
 Oeconomides. See also Hanriot.
 Oehler. See Claus.
 Oehmichen. See Möhlau.
 Ogier, J., a new sulphuroxychloride, 694.
 — density of the vapour of pyrosulphuryl chloride, 694.
 — sulphur oxychlorides, 463.
 Ogier. See also Berthelot.
 Oglobin. See Markownikoff.
 Oliveri, V., dixylene and its products of oxidation, 853.
 — paraxylene, 837.
 Oliveri. See also Paternò.
 O'Neill. See Stillman.
 Oppenheim, H., influence of muscular work on the elimination of sugar and urea in diabetes, 755.
 — physiology and pathology of the elimination of urea, 542.
 Oppenheim, H., and J. Mayer, elimination of urea, 238.

- Orlowski, A., detection of cadmium in presence of copper, 1232.
 — detection of cuprous in presence of cupric and other metallic oxides, 1232.
 Orth, H., benzyl metacresyl oxide, 1204.
 — dinitrobenzyl alcohol, 1198.
 — nitrometacresols, 1198.
 Osmond. See Witz.
 Ost, H., meconic acid, 601.
 Oster, J. B., a voltaic cell, 258.
 Ostermaier. See Friedländer.
 Ostwald, W., calorimetric studies, 451.
 — determination of chemical affinity, 360.
 Ott, A., influence of sodium and calcium carbonates on the proteids of the body, 750.
 Otto, J. G., preparation of grape-sugar, and its titration with Knapp's solution, 1276.
 Otto, R., synthesis of the so-called disulphoxides, 831.
 Owens. See Clarke.

P.

- Pabst, W., examination of Chinese and Japanese rocks used for the manufacture of porcelain, 483.
 Palmer, C., sulphocinnamic acids, 1204.
 Palmer. See also Remsen.
 Palmieri, G., reducing action of glycerol on silver salts, and its application to silvering glass, 1256.
 Panebianco, R., crystalline forms of manganese tartronate and of tartronic acid, 1187.
 Panebianco. See Mauro.
 Paneck. See Michaelis.
 Papasogli. See Bartoli.
 Pape, C., silico-propyl compounds, 154.
 Parcus, E., some new constituents of the brain, 235.
 Parker, R. H., salicin, 303.
 Parmentier, F., silicomolybdic acid, 702.
 Parsons, H. B., aconitic acid in the scale from sorghum-sugar pans, 766.
 — analysis of corn ergot or corn smut, 785.
 — examination of the root of *Berberis Aquifolium*, "Oregon grape root," 1140.
 Pasteur, chicken cholera, 324.
 Pasteur and others, on the origin and prevention of splenic fever, 323.
 Pastrovitch, P., artificially coloured red wines, 1138.
 Paternò, E., researches on usnic acid and other substances extracted from lichens, 1079.
 Paternò, E., and V. Oliveri, researches on the three isomeric fluobenzoic acids, and on flutoluic and fluoanisic acid, 613.
 Paternò, E., and P. Spica, researches on the formation of the ptomaines, 741.
 Pattinson. See Michler.
 Pauchon, influence of light on the respiration of seeds during germination, 419.
 Paul, B. H., and A. J. Cownley, alkaloid from *Cinchona cuprea*, 316.
 Pauleau. See Varenne.
 Pavy, F. W., physiology of sugar in the animal system, 322.
 Pawlewski, B., the critical temperature of liquids, 915.
 Pebal, L., use of electromagnets for the mechanical separation of minerals, 810.
 Pebal, L., and G. Schacherl, vapour-density of chlorine dioxide, 1161.
 Pechmann, H. v., compounds of orthobenzoylbenzoic acid with hydrocarbons, 184.
 — compounds of orthobenzoylbenzoic acid with phenols, 184.
 — condensation products of dibasic fatty acids, 1074.
 Pellet, H., action of animal charcoal on syrup, 673.
 — estimation of salicylic acid in butter, milk, and urine, 1003.
 — influence of one metal on the surface of another metal placed at a short distance, 921.
 — occurrence of ammonia in plants, 885.
 — retrograde nitrogen, 769.
 Pellet, H., and C. Brünings, variation in the coefficient of purity of juices and syrups, a consequence of specific gravity, 1146.
 Pellet, H., and H. Bullier, deterioration of sugar by keeping, 122.
 Pellet, H., and A. Nord, purification of beet-juice by lime, 672.
 Pellet. See also Robinet.
 Pemberton, H., new method of determining phosphoric acid, 1318.
 Perrey, A., origin of saccharine substances in plants, 881.
 Perrot, E., volumetric estimation of phosphoric acid, 94.
 Perry. See Clarke.

- Pesci, L., action of potassium permanganate on hydro-apoatropine, 1217.
 — daturine, 634.
 — researches on atropine, 740.
- Peter, H. v., employment of Laurence's cooler in the creaming of milk, 1149.
- Peter. See also Schrodtt.
- Petermann, A., agricultural value of leather meal, 331.
 — analysis of white willow (*salix alba*), 988.
 — composition of materials adapted for compost, 1229.
 — experiments with so-called "dissolved wool," 1228.
- Petersen, T., investigation of green-stones, melaphyr, 588.
 — "tripolith," 247.
- Pettenkofer, M. v., and C. Voit, elimination of gaseous nitrogen from the animal body, 233, 747.
- Pettersson, O., molecular volumes of alums, 1259.
 — thermal and volumetric researches on formic and acetic acids, 3.
- Pfeiffer, E., glauberite, 577.
- Pfeiffer, F., electrolysis of solutions of antimony chloride—explosive antimony, 467.
- Pfeiffer, T., and B. Tollens, compounds of the carbohydrates with alkalis, 490.
- Pflüger, F., titration of urea, 780.
- Philipp, J., tungsten bronzes, 930.
- Philipp. See also Bamberger.
- Phipson, T. L., further notes on actinium, and on the equivalent of zinc, 697.
- Piccini, A., oxidation of titanio acid, 809.
- Pichard, P., sugar-beet cultivation in Vaucluse, 244.
- Pickering, S. U., aluminium sulphates, 698.
 — on the constancy of thiosulphate solutions, 424.
- Pictet, A., conversion of fumaric into maleic acid, 389.
- Pierre, J., and Serane, employment of box-trees in agriculture, 93.
- Pilleux, heat developed by magnetisation, 1019.
- Pillitz, W., argentous oxide, 997.
- Pinner, A., condensation of acetone, 941.
- Pisani, F., chromophosphate of lead and copper, 283.
 — vanadate of lead and copper from laurium, 472.
- Piutti, A., carbamic and thiocarbamic derivatives of phthalic acid, 1297.
- Pizzighelli. See Eder.
- Plagemann, A., action of amines on dichloronaphthaquinone, 973.
- Planchon, G., cinchonamine cinchona bark, 634.
- Planta-Reichenau, detection of adulterated or artificial honey, 1327.
- Plener, gelatino-bromide emulsion, 902.
- Plöschl, J., aromatic hydroxy- and amido-acids, 515.
- Podwissotzky, V., constituents of podophyllin, 976.
- Poehl, A., peptone, 536.
- Pogge, H., fodder experiments on milch cows with cotton-seed meal and pea-nut meal, 321.
- Poleck, T., *Liquor aluminii acetici*, 943.
- Ponomareff, J., ethyl cyanate and cyanurate, 937.
- Porcher, S., native gold from Virginia, 20.
 — possibility of artificially preparing carbon free from hydrogen, oxygen, and nitrogen, 26.
- Porian and Mehay, employment of the maize residues of distilleries, 672.
- Posen, E., derivatives of umbelliferone, 829.
- Potilitzin, A., influence of mass on the mutual substitution of halogens, 457.
 — velocities of chemical reactions and law of distribution, 456.
- Precht, H., determination of potassium sulphate in kainite, 96.
 — krugite, 149.
- Precht, H., and B. Wittzen, boracite, 148.
 — — kieserite, 149.
 — — solubility of mixtures of salts of the alkalis and alkaline earths, 1264.
- Prescott, A. B., estimation of alkaloids by potassio-mercuric iodide, 664.
- Preusse, C., oxidation of aromatic substances in the animal body, 756.
- Preusse. See also Baumann.
- Prevost, E. W., experiments on turnips with soluble and insoluble phosphates, 91.
- Pribram, R., and A. Handl, specific viscosity of liquids, Part III, 272.
- Priest. See Tiemann.
- Prillieux, E., alteration in plants when grown on heated soils, 641.
- Prinz, O., opianic acid, 402.
- Pröpper, M., action of fuming nitric acid on ethyl acetoacetate and chlor-acetoacetate, 1193.

- Prollius, estimation of the alkaloids in cinchona-bark, 246.
 Prudhomme, dye-stuff from cœrulein, 126.
 Prunier, H., removal of iron from zinc sulphate, 1265.
 Przewalski, St. Petersburg rhubarb, 1126.
 Puluji, J., radiant matter from electrodes, 3.
 Pulvermacher, pocket pile with jointed elements, 447.

Q.

- Quaglio, J., water-gas as the fuel of the future, 114.

R.

- Raabe, A., examination of urine for albumin, 342.
 Radenhausen, P., on human milk, 758.
 Radziszewski, B., constitution of lophine and allied compounds, 1063.
 Radziszewski, B., and P. Wispek, derivatives of the three isomeric xylenes, 1283.
 Radulowitsch, W., formation of hydrogen dioxide by the oxidation of terpenes, 798.
 Raimondi, C., and G. Bertoni, poisonous action of hydroxylamine, 1222.
 Raimondi. See also Bertoni.
 Rammelsberg, C., the vanadium minerals from Cordoba State, Argentine Republic, 150.
 Ramsay, W., critical state of gases, 267.
 — the critical point, 136.
 Raoult, action of gaseous ammonia on ammonium nitrate, 800.
 Raoult, F. M., basic calcium carbonate, 695.
 — congelation of solutions of neutral compounds in benzene, 1260.
 Rasinski, F., condensation-products of phenols and acetic acid, 1288.
 Rathke, B., some derivatives of, and constitution of thiocarbamide, 166.
 Raumer, E. v., estimation of phosphoric acid in ashes of plants, 553.
 Reboul, E., tertiary amines; influence of heat on allyltriethylammonium bromide, 709.
 v. Rechenberg, proportion of free fatty acids in vegetable and animal fats, 239.
 Reese. See Michaelis.
 Regnard. See Bert.
 Regnauld, J., production of carbon oxychloride from chloroform, 935.
 Reibstein, T., comenic acid, 197.
 Reichardt, E., detection of poisoning by hydrocyanic acid after a long time, 246.
 — mother-liquor of the Allendorf-on-Werra Salt Works, 24.
 — peat-moss from Bad Steben bei Hof, 644.
 — plastering of wine, 661.
 Reihlen, F. A., improvements in the manufacture of wine, 905.
 Reimer, C. L., action of bromine on benzyl cyanide, 169.
 — two isomeric dibenzylidicarboxylic acids, 200.
 Reingruber. See Emmett.
 Reinherz. See Birnbaum.
 Reinitzer, B., reactions of the acetates of chromium, iron, and aluminium, 825.
 Reinitzer, F., analysis of a vegetable fat, 886.
 — the physiological signification of transpiration in plants, 327.
 Reinitzer, R., the anhydride of phosphorus acid, 140.
 Reinke, J., aldehyde-like substances in the cells of plants containing chlorophyll, 243.
 — assimilation theoretically considered, 1312.
 Reinke, J., and H. Rodewald, paracholesterolin from *Æthaliu septicum*, 303.
 Reinsch, H., detection of boric acid, &c., by means of the microscope, 245.
 Reinsch, P. F., cyprusite, a new mineral, 578.
 Reischauer, K., analyses of several malting barleys, 672.
 Reischauer, analyses of various Munich yeasts, 1146.
 Reisenbichler, G. F., sulphuric acid in beer, 556.
 Reitlinger, E., and F. Wächter, disintegration of electrodes by positive electricity and explanation of Lichtenberg figures, 448.
 Remsen, I., transformation of ozone into oxygen by heat, 690.
 Remsen, I., and L. B. Hall, oxidation of para-substitution-products of aromatic hydrocarbons, 186.
 Remsen, I., and M. Kuhara, conduct of nitrometaxylene towards oxidising agents, 607.
 Remsen, I., and W. A. Noyes, oxidation of substitution-products of aromatic hydrocarbons, 1196.
 Remsen, I., and C. Palmer, oxidation of metatoluenesulphonamide, 1095.

- Renard, A., essence of rosin, 64.
 — products of the distillation of colophony, 737, 1179, 1301.
 Renouf. See E. Fischer.
 Renouard, A., and B. Corenwinder, linseed-cake and hemp-cake and their adulteration, 84.
 Reyer, E., hard bronze of the ancients, 805.
 Reynolds, O., on drops floating on the surface of water, 5.
 Rhoussopoulos, O., and F. Meyer, preparation and properties of ethylenediamine, 939.
 Riban, J., decomposition of some metallic acetates in presence of water, 388.
 — decomposition of metallic formates in presence of water, 494.
 Ricciardi, L., ash ejected from Vesuvius, 28th February, 1882, 932.
 — chemical composition of Vesuvian pumices collected on Monte Sant Angelo, 814.
 — chemical researches on the calcareous rocks of the Province of Salerno, 811.
 — crystalline rocks in the neighbourhood of Messina, 1177.
 — deposits of volcanic tufa in the province of Salerno, 371.
 — origin of volcanic ashes, and chemical composition of the lavas and ashes ejected in the latest eruptions of Vesuvius, 1868—1882, 1177.
 — phosphoric acid in volcanic soils, 650.
 — the high percentage of phosphoric acid in volcanic soils, 550.
 — volcanic ash from Etna, Jan. 23rd, 1882, 705.
 Ricciardi, L., and S. Speciale, the basalts of Sicily, 152.
 Richardson, C., composition of American grasses, 762.
 — separation and determination of potash and soda by the indirect method, 658.
 Riche, A., purification of commercial alcohol, 1013.
 Richet, C., and R. Moutard-Martin, action of urea and ammonium salts on animals, 760.
 Richter, C., composition of cell membranes of bacteria, 80.
 Richter, M., action of potassium dichromate on potassium iodide, 1268.
 — alkalimetric titration of potassium dichromate, and its use in alkalimetry, 1233.
 — alkaline reaction of potassium chromate, 1268.
 Richer, P. and M. N., mercurous chromates, 1029.
 Richter, R., action of phosphorus oxychloride on neutral and basic sodium and potassium salicylates, 618.
 Risler, amount of carbonic anhydride in the atmosphere at Caldès, near Nyon, 1026.
 Ritthausen, H., composition of crystallised albumin from hemp and castor-oil seeds, 876.
 — crystallised albumin from pumpkin seeds, 877.
 — distribution of myronic acid in the seed of *Brassica Napus* and *B. Rapa*, 243.
 — lead chromate for organic combustions, 898.
 — albuminoids in seeds, 234.
 Rizza, B., action of zinc methide on chloral, 491.
 Robbs. See Muir.
 Robert, G., and others, butter and cheese, 348.
 Robinet, E., and H. Pellet, salicylic acid as an antiseptic, 1010.
 Robinson. See Mabery.
 Rodewald. See Reinke.
 Rodwell, G. F., coefficients of contraction and expansion of silver and cuprous iodides and their alloys, 570.
 Röhmann, F., acid fermentation of the urine, 755.
 — separation of nitrous and nitric acid from the living organism, 100.
 Rohmann. See also Frankel.
 Roemer, A., anthracylamine, 974.
 Roemer, A., and M. Schwarzer, deoxyanthraflavic acid, 975.
 — tetranitro-isoanthraflavic acid, 975.
 Rollet, A., desulphurising of pig-iron, 345.
 Roloff, and others, researches on lupine sickness in sheep, 637.
 Romanis, R., mineral waters from Amherst, British Burmah, 706.
 — potash from bamboo, 781.
 Romburgh, P. v., β -chlorallyl chloride and some of its derivatives, 375.
 — glycerol-diformin, 378.
 — trichloropropane: β -chloropropylene chloride, 589.
 Roozeboom, H. W. B., ammonium tribromide, 139.
 — tertiary butyl bromide, 154.
 Roscoe, H. E., atomic weight of carbon, 794.
 Rosenfeld, M., lecture experiments, 137, 690.
 Rosenstiehl, A., and M. Gerber, conditions of formation of rosanilines, 1281.

- Rosenstiehl, A., and M. Gerber, homologous and isomeric rosanilines, 964.
- Roser, L., paratolylcarboxylic acid, 194.
- Roser, W., pyrocinchonic acid and its formation from oil of turpentine, 1114.
- separation of water within the molecule, 1045.
- terebic acid, 716.
- Ross, W. A., cause of the blue colour of sapphire, the green of the emerald, and the purple of the amethyst, 1269.
- Rossbach, multiplication of bacteria in the blood of living animals by a chemical ferment free from organisms, 1309.
- Roth, C. F., glycolines and glycoleines, 1194.
- hexmethyltrimethylenediamine bromide, 500.
- Roth, J., studies on Monte Somma, 482.
- Rousse, J., a pile with manganese forming salts which can be utilised or regenerated, 134.
- secondary pile, 135.
- Rousseau, G., a diatomic alcohol derived from β -naphthol, 735.
- action of chloroform on β -naphthol, 1211.
- ethers of the glycol $C_{22}H_{14}O_2$, 1299.
- Rousselot, A., estimation of potassium in potassium salts and in manures, 95.
- Roussille, A., proportions of nitrogen, ash, and phosphoric acid in successive cuttings of leguminous fodder plants, 649.
- Roux, quick method for the estimation of lead in tin, 99.
- Rubner, M., consumption of tissue in starving Herbivora, 749.
- loss of substance experienced by starving Graminivora, 416.
- Rudolph. See O. Fischer.
- Rüf. See Eugling.
- Rügheimer, L., artificial piperine, 1217.
- diphenylfumaric acid and diphenylmaleic acid, 1298.
- Ruhemann, S., derivatives of metadiamidobenzene and ortho- and para-diamidotoluene, 391.
- Russell, W. J., absorption spectra of cobalt salts, 131.
- Ruyssen, F., and E. Varenne, influence of the concentration of hydrochloric acid on the solubility of silver chloride, 695.
- S.
- Sacc, Cucurbitaceæ of Uruguay, 884.
- Uruguayan plants, 989.
- Sachsse, R., chlorophyll, 67.
- contributions to the knowledge of chlorophyll, 412.
- Sachtleben. See Fleischmann.
- Saget, fixation of alumina as a discharge on indigo-blue by means of aluminium chloride, 676.
- Salkowski, E., aldehyde reaction with ammoniacal silver nitrate solution, 1329.
- Salkowski and others, Becker's method of creaming, 674.
- Salomon, F., analysis of starch, 339.
- elementary composition of starch, 1183.
- quantitative estimation of phenol, 339.
- Salomon, G., formation of xanthine bodies in germinating plants, 987.
- Salzer, T., hypophosphoric acid, 461.
- purification of beet spirit, 1335.
- Samek, J., feeding of milch cows with grass and lucerne, 238.
- Sampaio. See Michler.
- Sanderson, J. B., electromotive properties of the leaf of *Dionaea*, 635.
- Sandwik, E., specific rotation of maltose, 707.
- Sanguiriglio. See Bizzozero.
- Sapper, E., action of haloid acids on ethereal salts, 493.
- Sarasin. See Friedel.
- Sarauw, E., action of phosgene on diazoamido-derivatives, 507, 608.
- compressibility of gases, 686.
- dibromoquinol, 490.
- Sarauw. See also Michler.
- Savigny and Collineau, two new vegetable dye-stuffs, 309.
- Saytzeff, A., reduction of succinic chloride, and on normal γ -hydroxybutyric acid, 497.
- Scacchi, A., new sublimates from the crater of Vesuvius, 370.
- yellow incrustation from Vesuvian lava, 470.
- Schaare. See Claus.
- Schacherl. See Pebal.
- Schacht, C., action of different kinds of benzoic acid and their sodium salts on potassium permanganate, 339.
- Schack, A., reaction of oil of peppermint, 667.
- Schaeer, E., behaviour of officinal benzoic acid towards potassium permanganate, 1138.
- oil of cinnamon leaves, 1300.

- Schaer. See also Cloetta.
- Scharitz, R., mineralogical observations, 580.
- Scheffer, J. D. R., diffusion of some organic and inorganic compounds, 1159.
- Scheibler, C., preparation of strontium saccharate from molasses and syrup, 1015.
- the strontia process for the separation of sugar from molasses, 673.
- Scherks, E., action of metals on ethyl α -bromopropionate, 38.
- Schiff, H., acrolein carbamide, 1195.
- alkyl-substituted amido-acids, 303.
- aldehyd.sulphites of amido-acids and amines, 304.
- helicin, 412.
- Schiff, R., camphor derivatives containing nitrogen, 527.
- method for determining the specific gravity of a liquid at its boiling point, 893.
- note on the phenol obtained by the action of zinc chloride on bromo-camphor, 739.
- properties of the bromine atoms in mono- and di-bromocamphor, 526.
- relation of molecular volume to atomic combination, 1024.
- Schiffer, J., decomposition of sarcosine in the human body, 78.
- Schiller, F., extraction of sugar from lime-sludge, 1015.
- Schlickum, O., adulteration of balsam of Peru, 1339.
- Schloesing, T., absorption of volatile bodies by the aid of heat, 902.
- fixation of atmospheric ammonia by plants, 242.
- Schlosser, A., and Z. H. Skraup, synthesis in the quinoline series, 71.
- Schmalzigang. See Graebe.
- Schmehl, C., and others, cultivation of potatoes and the feeding value of various sorts, 550.
- Schmoeger, M., anhydrous milk-sugar, 157.
- butter from sweet and sour cream, 348.
- isomalic acid, 40.
- Schmoeger, M., and others, estimation of fat in milk by the lactobutyrometer and Soxhlet's areometer, 109.
- on milk and butter, 899.
- Schmoeger. See also Friedländer.
- Schmid, E. E., mineralogical notices, 582.
- Schmidt, A., rosy milk, 1122.
- Schmidt, J. G., reaction of organic
- Schmidt, W. B., action of sulphurous acid on certain minerals and rocks, 583.
- Schmidt, W., resocyanin, 509.
- Schmitt, R., and M. Andresen, conversion of paramidophenol into tri- and tetra-chloroquinone and trichloroquinone-chlorimide, 611.
- trichloroquinone-chlorimide, 400.
- Schneider, C., bismuth subnitrate, 18.
- official benzoic acid, 1138.
- Schneider, P., and others, fattening of pigs, 636.
- Schönemann and others, cultivation of potatoes, 990.
- Schorm, J., conine and its compounds, 215.
- Schindler, cultivation without animal manures, 1314.
- Schlagden. See Oberlin.
- Schlagdenhauffen. See Heckel and Oberlin.
- Schott. See Wachtel.
- Schotten, C., piperidine, 982.
- Schreiner. See Damm.
- Schrodt, M., experiments with an improved form of Reimer's creamer, 124.
- report of the experimental dairy at Kiel, 1880—1881, 1149.
- Schrodt, M., and H. Peter, feeding of milch cows with cotton cake, 636.
- Schröder, H., dependence of the molecular refraction of liquid carbon compounds on their chemical constitution, 910.
- determination of the volume constitution of bodies in the solid state when the volume constitution of the same bodies in the liquid state is known, 356.
- relation between molecular refraction and chemical constitution, 351.
- relation between the molecular refraction of liquid compounds and their chemical composition, 1153.
- volume constitution of liquid compounds, 458.
- Schröder. See also Counciler.
- Schrötter, H., oxidation of borneol acetate, 66.
- Schrötter. See v. Gerichten.
- Schützenberger, P., and A. Colson, silicon, 570.
- Schuller, A., formation of hydrogen peroxide during combustion, 691.
- heat of formation of water, 135, 682.

- Schultz, G., molecular re-arrangement of certain hydrazo-compounds, 1062.
- Schultz. See also Knapp, Levy, and Strasser.
- Schultze, H., manuring experiments on sugar beet, 767.
- Schulz, H., action of acid chlorides and bromides on quinones, 838.
- theory of the poisonous action of arsenic, 1223.
- Schulz. See also Binz.
- Schulze, A., expansion of various standard solutions by heat, 1230.
- Schulze, B., formation of fat in animals, 878.
- Schulze, E., estimation of amides in vegetable extracts, 1006.
- nitrogenous constituents of plants, 645.
- occurrence of hypoxanthine in potatoes, 1125.
- quantitative estimation of albuminoids and non-albuminous matter in plants, 901.
- Schulze, E., and J. Barbieri, allantoin and asparagine in young leaves, 1195.
- — cholesterol, 1202.
- — hydantoin in plants, 243.
- — occurrence of phenylamidopropionic acid amongst the products of decomposition of albuminoid bodies, 189.
- — presence of peptones in plants, 318.
- Schulze, E., and E. Eugster, contributions to the knowledge of the nitrogenous constituents of potatoes, 885.
- Schulze, H., preparation of sulphuryl chloride, 10.
- Schulze, K. E., phorone from glycerol, 613.
- Schwanert, H., occurrence of ammonium magnesium phosphate in a sample of old urine, 637.
- Schwarz, E., forensic chemical determination of gelsemine in animal liquids and tissues, 1141.
- Schwarzer. See Roemer.
- Scichilone, S., orcinoldiazotoluene, 1285.
- oxyazobenzene and some of its derivatives, 726.
- thymolactic acid, 848.
- Seamon, W. H., iodammonium iodide, 8.
- Sear, F., estimation of neutral fats and palmitic and oleic acids in palm oils and autoclaved materials, 342.
- Seegen, J., action of the liver on peptone, 540.
- Seegen, J., elimination of gaseous nitrogen by animals, 636.
- Seegen, J., and F. Kratschmer, formation of sugar in the liver, 540.
- Selig, E., an improved form of drying apparatus, 244.
- Selezneff, W., action of sulphur on glass, 696.
- Selmi, F., occurrence of phosphorus bases in the urine, &c., in acute phosphorus-poisoning, 325.
- pathological bases, 741.
- Senderens. See Filhol.
- Senhofer, C., naphthalene-tetrasulphonic acid, 624.
- Senior, A., adulteration of Peru balsam, 112.
- Serane. See Pierre.
- Serret, M., manures, 92.
- Sestini, F., action of halogens on sacchulmic compounds, 1181.
- "falasco" manure from seaweed and marsh-weeds, 652.
- saculmin compounds, 605.
- Sestini, F., and L. Danesi, derivatives of photosantonie acid, 627.
- Sestini, F., and A. Funaro, action of hydrogen on thiocyanic acid, 1180.
- — diastatic action of certain fodders, 1128.
- Setterberg, C., preparation of rubidium and cesium and their salts, 464.
- Seubert, K., estimation of phenol in surgical dressings, 106.
- Seubert, K., and G. Link, analyses of nephrite from pile dwellings, 931.
- Sexton, A. H., estimation of arsenic in copper, 1135.
- Shepard, C. U., meteoric iron from Lexington Co., S. Carolina, 153.
- Shimer. See Drown.
- Short, F. W., preparation of calcium hypophosphite, 695.
- Sieber, N., chemical composition of mildew, 642.
- Sieber. See also Nencki.
- Siegfried, L., phosphorite as a manure, 92.
- Siemens, C. W., influence of the electric light on vegetation, 326, 639.
- Siemens, C. W., and A. K. Huntington, the electric furnace, 1241.
- Silber. See Ciamician.
- Silva, R. D., action of hydriodic acid on propylene chloriodide and isopropyl chloride, 294.
- Silvestri, O., chemical nature of liquid inclosures found in crystals of native sulphur, 810.
- crystallised paraffin in geodes in a basaltic lava, 810.

- Simand, F., Löwenthal's method of estimating tannin, 1237.
- Simon, S. E., preparation of alizarin orange, 863.
- Singer, M., woody substance and lignified tissues, 1122.
- Skalweit, J., action of alcohol and ether on tobacco, and the distillation of the extract thus obtained, 1005.
- quantitative estimation of nicotine in tobacco, 108.
- the specific gravity of nicotine and of its aqueous solutions, 216.
- Skraup, Z. H., quinine and quinidine, 219.
- quinoline-derivatives, 1111.
- some compounds of quinine, 218.
- synthesis in the quinoline series, 1216.
- Skraup. See also Schlosser.
- Sloan, B. E., absorption of chlorine by arsenious chloride, 19.
- analysis of felspar accompanying microlite, in Amelia Co., Virginia, 23.
- Sloane, T. O'C., precipitation of barium sulphate, 97.
- qualitative test for carbon bisulphide and carbonic anhydride, 107.
- Smirensky, A., diallyl ethyl carbinol, 488.
- Smith, A. P., and W. B. Lowe, dissociation of chlorine, 794.
- Smith, J. L., estimation of phosphorus in iron, 897.
- Söllscher, C., homologues of deoxybenzoïn and benzophenone, 1292.
- Sokoloff, W. N., a new eudiometer, 551.
- new apparatus for gas analysis, 1229.
- Solvay, E., preparation of chlorine and hydrochloric acid, 278.
- Sorauer, P., investigations as to the quantity of water necessary for cereals, 1312.
- Soxhlet, F., aræometric estimation of fat in skim-milk, 1138.
- preparation of pure starch-sugar, 1274.
- researches on the formation of fat in animals, 238.
- supposed conversion of starch into sugar by water at a high temperature, 30.
- value of poudrette, 651.
- Soyka, J., mode of optically demonstrating the permeability of a soil for air, 89.
- Speciale. See Ricciardi.
- Spica, G., a polymeride of toluquinone, 1065.
- Spica, P., supposed reagent for distinguishing ptomaines from vegetable alkaloids, 430.
- Spica. See also Canzoneri and Paternò.
- Spiegel, A., synthesis of atrolactic acid from acetophenone, 520.
- vulpic acid, 1076.
- Spiro, formation of bile, 878.
- Spitzer. See Kachler.
- Spring, W., expansion of the alums, 1020.
- formation of alloys by pressure, 921.
- non-existence of pentathionic acid, 1262.
- researches on the welding of solid bodies induced by pressure, 273.
- Spring, W., and C. Winssinger, action of chlorine on sulphonic derivatives, 938.
- Squib, E. R., opium assay, 666.
- Stahel and others, cultivation of soja bean, 549.
- Stauffer. See Krafft.
- Stebbins, J. H., action of diazo-compounds on α -thymolsulphonic acid, 834.
- Steenbuch, C., microscopical examination of flour, 559.
- Steiger. See Treadwell.
- Stein, G., application of alizarin in dyeing and calico-printing, 1251.
- Steiner, A., action of chlorine on amides, 1281.
- conversion of perthiocyanic acid into potassium thiocyanate, 1274.
- products of the decomposition of ethyl nitroacetoacetate, 1280.
- Steiner, J., reducing power of beer and wort, 1137.
- Steinkauler. See Lunge.
- Steinmann, A., a basic copper sulphate, 1266.
- Steinreich, R., potassium chloride in "osmose water," 115.
- Stelzner, A., fayalite slags from the Freiberg furnaces containing zinc spinell, 476.
- Stempnevsky, N., normal ethyl sulphate, 487.
- Stern. See Clarke.
- Steudemann. See Gabriel.
- Stillmann, J. M., and E. C. O'Neill, occurrence of a new fat acid in the nut of the California bay tree, 1185.
- Stirztzing, R., the carbonic acid of muscle, 539.
- Stockly, F., putrefaction products of brains, 77.
- Stohmann, F., estimation of free acids in animal and vegetable fats, 429.

- Stoklasa, J., studies on the decomposition of orthoclase, 650.
 Storch, V., formation of butter, and its physical and chemical composition, 674.
 Strasser, H., and G. Schultz, new method of preparing diphenylene, and an isomeride of the same, 521.
 Strecker, O., derivatives of itaconic, citraconic, and mesaconic acids, 1281.
 Streng. See Tiemann.
 Strohmmer, F., occurrence of ellagic acid in pine-bark, 82.
 Struve, H., diagnosis of blood stains, 342.
 Stuart, E. B., influence of morphine on the formation of hercynite, 1005.
 Stünkel, C., and others, estimation of phosphoric acid by the molybdc method, 1318.
 Stünkel. See Wagner.
 Studer, A., butylation of aniline, 176.
 Stutzer, A., manuring of vines, 889.
 — the digestibility and quantitative estimation of albuminoids, 1239.
 Suchy, J., condensation of unfermented must in a vacuum, 672.
 Suida, W., action of mercuric ethide on iodides, 409.
 Suida. See also Mauthner.
 Sutton, H., new electrical storage battery, 258.
 Swarts, T., bromine-derivative of camphor, 1300.
 — isomerism of dibromocamphor, 1300.
 Szpilmann, J., effect of gases on the splenic fever bacilla, 417.

T.

- Tamm. See Guyard.
 Tanner, H., some of the conditions influencing the quality of barley for malting and feeding purposes, 888.
 Tanret, C., peptones and alkaloids, 876.
 Tappeiner, H., absorption in the stomach, 748.
 — formation of phenol, indole, and skatole in the intestines, 240.
 — intestinal gases of herbivora, 240.
 Tappeiner, W., digestion of cellulose, 985.
 Taylor, T., detection of foreign fats in butter, 1003.
 Tchirikoff, A., use of palladium for absorbing the hydrogen set free in certain reactions, 424.
 Terreil, W., and A. Des Cloizeaux, crystals of linnaite found in the coal beds of the Rhenda Valley, Glamorganshire, 282.
 Than, C. v., comparison of the results of calorimetric measurements, 265.
 Thate, A., behaviour of orthonitrophenoxycetic acid with reducing agents, 849.
 Thibault. See Lefort.
 Thierry, M. de., a ureometer, 246.
 Thiesson, V., manuring of sugar-beet, 1314.
 Thomsen, J., benzene, dipropargyl, and acetylene, 721.
 — refractive power and heat of combustion, 567.
 — optical activity of malic acid and of malates, at different temperatures, 911.
 Thomson, W., notes on lead pipes and lead contamination, 668.
 Thoulet, J., thermal conductivity of minerals and rocks, 790.
 Threadwell, influence of different oil cakes on milk production, 321.
 Thresh, J. C., chemistry of the rhizome of *Zinziber officinalis*, 626.
 Thudicum, J. L. W., phrenosin, 537.
 Thurnlackh, K. G., action of zinc ethyl and zinc methyl on chlorinated aldehydes, 295.
 — action of zinc ethyl on butyl chloral, 824, 1279.
 — so-called chlorine trioxide, 460.
 Thurnlackh, G., and v. Hayn, chlorites, 460.
 Tiemann, F., amido-acids from anisaldehyde and from acetophenone, 57.
 — preparation of amido-acids from the cyanhydrins of aldehydes and ketones, 55.
 — remarks on the three preceding papers, 57.
 Tiemann, F., and L. Friedländer, amido-acids from the cyanhydrins of benzaldehyde, acetone, and diethylketone, 56.
 Tiemann, F., and P. Koppe, constituents of wood-tar, 50.
 — preparation of protocatechuic aldehyde from catechol; derivatives of guaiacol and cresol, 54.
 Tiemann, F., and W. H. Maxmüller, quinol derivatives, 52.
 Tiemann, F., and R. Priest, phenylsarcosine, 50.
 Tiemann, F., and F. Streng, constitution of orcinol, 51.
 Tischomiroff. See Lidoff.

Tissoni, G., and M. Fileti, importance of light for the formation of hæmoglobin, 751.

Tjaden-Moddermann, R. S., purification of sulphuric acid by crystallisation, 1163.

Tommasi, D., action of aluminium on cupric chloride, 1266.

— action of cold on the voltaic arc, 259.

— chemical energy of the voltaic pile, 1155.

— chemical work done by the galvanic cell, 1257.

— electrolysis, 789.

— electrolysis of water, 134, 353, 1019.

— numerical relations between thermochemical data, 1257.

— reply to Berthelot's note on the "Electromotive Force of a Zinc-carbon Couple," 1156.

Tommasi, T. and D., testing for phenol in urine by the pine wood reaction, 245.

Tollens, B., aldehyde and iodoform reactions, 107.

— formaldehyde or oxymethylene, 1277.

— silver solution as a reagent for aldehyde, 1329.

— specific rotation of cane-sugar dissolved in methyl alcohol and in acetone, 30.

Tollens, B., and A. Loe, glyceryl ether, 31.

Tollens. See also Pfeiffer.

Toovey, ink for photolithography and phototypography, 114.

Toussaint, H., tuberculosis poison, 637.

Toussaint. See also Koch.

Traube, M., activity of oxygen, 795.

Treadwell, F. P., dipropylketene, 166.

— estimation of chromium, 1234.

Treadwell, F. P., and E. Steiger, nitrosoacetone and ketene, 941.

Trechmann, C. O., a probably dimorphous form of tin, and some crystals associated with it, 576.

Tribe, A., new method of measuring certain chemical affinities, 6, 449.

— refraction of electricity, 260.

Troilius, M., analysis of rail steel, 336.

— method for determination of carbon in steel, 337.

Troost, L., boiling point of zinc, 1028.

— determination of vapour-densities at the boiling point of selenium, 1159.

— influence of the compressibility of the elements on the compressibility of their compounds, 1160.

Troost, L., molecular weights of phosphorus iodides, 1264.

— new compounds of ammonia with nitric and acetic acids, 1162.

Troschke. See Birner.

Truphème, V., preparation of cocaine, 75.

Tuxen, C. F. A., application of Knop's method to Danish soils, 244.

U.

Ulbricht, R., analysis of wine and must, 1000.

Ullik, steeping of barley, 645.

Ulm. See Eder.

Urba, C., mineralogical notices, 574.

Urbain. See Fremy.

Urech, F., inversion of sugar at the ordinary temperature, 30.

Urech. See also Hell.

V.

Van der Burg, decomposition of cyanides, 102.

Van der Meulen. See Mulder.

Varenne, L., action of hydracids on alkaline chromates, 280.

— hydrated chromium bromide, 280.

Varenne, E., and Pauleau, solubility of barium and strontium sulphates in concentrated sulphuric acid, 465.

Varenne. See also Ruysson.

Velain, C., volcanic rocks of Easter Island, 481.

Vieille, nitration of cellulose, 1184.

Vieille. See also Berthelot.

Vigier, F., and C. Cloez, oil of *Erigeron canadense*, 64.

Villari, E., thermic laws relating to the exciting spark in condensers, 447.

— thermic laws of the discharge spark of a condenser, 678.

Villiers, A., tetranitroethylene bromide, 815.

Violle, J., boiling point of zinc, 697.

— diffusion of carbon, 358.

Virchow, C., scientific methods of estimating the value of meat, 676.

Vitali, D., new colour reactions of morphine, codeine, and atropine, 340.

— new method of testing for chloroform in cases of poisoning, 777.

Voelcker, A., action of soluble and insoluble phosphates on swedes, 1228.

— composition of ewe's and goat's milk, 541.

- Voelcker, A., continuous cropping with wheat and barley, 329.
 — continuous growth of wheat and barley at Woburn in 1881, 1226.
 — four-course rotation, 1225.
 — manuring experiments with soluble and insoluble phosphates, 1315.
 — report on feeding and field experiments at Woburn, 649.
 Vogt, G., and A. Henninger, lutorcinol, an isomeride of orcinol, 729.
 Vogt. See also Monnier.
 Voit. See Pettenkofer.
 Volkmann, P., expansion of water by heat, 135.
 Vortmann, G., estimation of chlorine in presence of iodine and bromine, 1230.
 Vrau. See Bleunard.
 Vries, H. de, certain bye-products of plant development, 761.
 Vulpius, remarkable behaviour of quinine hydrochloride, 1113.
 — solvents for iodoform, 1013.

W.

- Waas, E., action of dichlorethyl oxide on benzene in presence of aluminium chloride, 1209.
 Wachtel, A., and E. A. Schott, substitute for animal charcoal, 1016.
 Wachtel, R., method of obtaining sugar from molasses, 1146.
 Wächter. See Reittlinger.
 Wagener, G., glass mixtures and the application of natural silicates in glass manufacture, 1245.
 — rule for calculating the composition of glass, and on the nature of glass, 563.
 Wagner, A., analysis of manganese dioxide, 555.
 — decomposition of nitrous and nitric oxides by heat, 1317.
 — sulphur in zinc-dust, 670.
 — tests for ferric and cupric salts, 556.
 — tests for nitrates in potable waters, 556.
 — water analysis, 556.
 Wagner, E., note on Popoff's law of the oxidation of ketones, 594.
 Wagner, G., action of zinc ethide and methide on chlorinated aldehydes, 377.
 — general method of preparing secondary alcohols, 376.
 Wagner, J. S., chevalier barley, 549.
 Wagner, P., and C. Stünkel, experiments on the manuring of vines, 1129.
 Wald, F., studies on dynamical chemical processes, 5.
 Walder. See Michler.
 Walitzky, W. E., terpin, 411.
 Wallach, M., isohydrobenzoïn carbonate, 853.
 Wallach, O., action of phosphorus pentachloride on diphenyl-acetamide and diphenyl-benzamide, 393.
 — azo colouring-matters, 609.
 — formation of bases from acid amides, 958.
 — oxaline and glyoxaline, 821.
 Wallach, O., and L. Kiepenheuer, conversion of azoxybenzene into oxyazobenzene, 393.
 Walter, K., on manure phosphates, 770.
 Walton, Evelyn M., liquefaction and cold produced by the mutual action of solids, 450.
 Waltz, G., propyl- and isopropyl-succinic acid, 948.
 Warden, C. I. H., blue colouring principle in the *Thevetia nereifolia*, 308.
 — note on a filtering syphon for the separation of ether, &c., 771.
 — presence of a second poisonous principle in *Thevetia*, 1126.
 Warder, R. B., Wroblewsky's remarks on benzene formulae, 1196.
 Warington, R., alteration of nitric ferment by cultivation, 79, 1223.
 Warington. See also Lawes.
 Warren, J. W., influence of tetanus on the acids contained in muscle, 539.
 Warth. See Kelbe.
 Wartha, V., detection of sulphurous acid in wine, 1231.
 Wasum, A., influence of sulphur and copper on the working properties of steel, 1246.
 Watson, G., a new catalytic reaction, 1262.
 Watts, F., analysis of iron and steel, with special reference to the estimation of carbon and silicon, 1134.
 Weber, A., dihydroxynaphthalene, 205.
 Weber, R., behaviour of iodine with sulphuric anhydride and with the hydrates of sulphuric acid, 803.
 — behaviour of tellurium with sulphuric anhydride and with sulphuric acid, 804.
 — formation of patina, 1334.
 — tin nitrates, 1266.
 Weber, W., and A. Heim, preparation of aromatic ethereal salts of phosphoric acid, 839.

- Weber. See also Mabery.
- Wegscheider, R., derivatives and constitution of opianic and hemipinic acids, 1206.
- Weidel, H., β -cinchoninesulphonic acid and its derivatives, 225.
- diquinoline, 69.
- tetrahydrocinchoninic acid, 530.
- Weidel, H., and R. Brix, cinchonine and pyrocinchonic acid, 1304.
- Weil, F., copper plating, 782.
- direct deposition of copper on cast iron, wrought iron, and steel, 670.
- Wein, E., the combination in which nitrogen is most available for plants, 769.
- Weinberg. See Friedlander.
- Weiske, H., and G. Kennepohl, ewe's milk as influenced by fodder, 1309.
- Weiske, H., and others, relation of asparagine to animal nutrition, 986.
- Weiss. See Doebner.
- Weith. See Merz.
- Weller, A., estimation and separation of antimony and tin, 1324.
- Weller. See also Claus.
- Weselsky, P., and R. Benedikt, action of nitrous acid on the ethyl pyrogallates, 53.
- nitro-products of the catechol series, 1200.
- Wesendonck, C., spectrum of carbonic anhydride, 253.
- West, estimation of potash in potassium sulphate, 553.
- Weyl, F., preparation of copper for elementary analysis, 1235.
- Weyl, T., and Bischoff, on gluten, 537.
- Weyl, T., and A. Goth, absorption of oxygen by alkaline solutions of pyrogallol and phloroglucol, 401.
- Weyl, T., and X. Zeitler, comparison of the oxygen with the organic matter in natural waters, 556.
- Whiffen, W. G., new alkaloid from *Cinchona cuprea*, 316.
- Wibber. See Austen.
- Wichelhaus, H., colouring-matter from dimethylaniline and chloranil, 58.
- Widmann, O., preparation of metatoluidine, 47.
- synthesis of thymol from cuminol, 727.
- Wiegand. See Beilstein.
- Wiik, F. J., mineral analyses, 286.
- Wild, E., diamidosulphobenzide, 182.
- Wilde's chloride of silver gelatin plates for diapositives, 1142.
- Wildt, E., agricultural value of various forms of phosphoric acid, 1228.
- Wildt, E., manuring potatoes and sugar-beet, 93.
- Will, W., compounds formed by the action of alcoholic iodides on thiocarbamide, 723.
- thiocarbamates, 1088.
- Will, W., and D. Bielschowski, action of alcoholic iodides on ditolythiocarbamide, 1090.
- Willgerodt, C., action of alcoholic potash on paranitrochlorobenzene, 953.
- action of caustic alkalis on acetone solutions of halogenated compounds, 491.
- preparation of paranitrophenol ethers, 396.
- Williams, C. G., β -lutidine, 309.
- Williams. See also Bedson and Cleaver.
- Willm, T., oxidation of metals of the platinum group, 1033.
- Wilson, E., molecular volume of solids, 275.
- Winssinger. See Spring.
- Wislicenus, J., comparison of the combining energies of the halogens and of sodium with different organic residues, 934.
- Wispek. See Radziszewski.
- Witt. See Köchlin.
- Wittenberg, M., resocyanin and the action of ethyl acetoacetate on the phenols in presence of dehydrating agents, 1289.
- Wittgen. See Precht.
- Witz, G., and F. Osmond, preparation of vanadium compounds from the basic slag of Creusot, 1246.
- Wleügel, S., ethylic nitrosoacetoacetate, 949.
- nitrosobutyric acid, 944.
- Wolf, N., benzoyl and benzyl-derivatives of diphenyl, 62.
- Wolff, E., digestibility of various oil-cakes, 86.
- influence of irregular work on the digestion of food by horses, 319.
- Wolff, E., and others, comparative experiments on the digestion of two kinds of clover-hay by horses and sheep, 237.
- comparison of the digestibility of peas by horses and sheep, 415.
- digestibility of certain oil-cakes, 647.
- Wolff, L., method of preparation and constitution of valerolactone, 35.
- Wolffhügel, G., value of sulphurous acid as a disinfectant, 1009.
- Wolffhügel and Hüppe, penetration of heat into meat whilst being cooked, 1152.

- Wolffhügel, G., and G. v. Knoire, difference in the action of solution of carbolic acid in oil and in water, 1143.
- Wolffhügel. See also Koch.
- Wollny, E., effects of artificial manures on the physical condition of soils, 1227.
- influence of space on the growth of plants, 880.
- physical properties of the soil in a close or open condition, 1128.
- researches on the influence of the distance between the seed sown on the growth and quality of the crop, 646.
- researches on the influence exerted by the physical properties of a soil on the amount of free carbonic anhydride contained in it, 86.
- Wood, C. H., and E. L. Barret, compounds of quinine and quinidine, 414.
- Woodcock, R. C., gelatin jelly as a dialyser, 663.
- Woolridge, L. C., relation of white blood corpuscles to the coagulation of the blood, 322.
- Wormley, T. G., gelsemic acid, 1109.
- quantitative determination of urea by alkaline hypochlorites and hypobromites, 779.
- Wroblewski, S., combination of carbonic anhydride and water, 692.
- composition of hydrated carbonic acid, 1026.
- influence on the quantity of gas dissolved in a liquid on the surface tension, 1259.
- law of solubility of carbonic anhydride in water at high pressures, 1021.
- Wroblewski, E., formula of benzene, 952.
- oxidation of symmetrical nitroxylylene, 954.
- Wüllner, A., spectra of carbon compounds, 130.
- spectrum of hydrogen and acetylene, 129.
- Wunderlich, F., separation of quartz from silicates, 894.
- Wurtz, A., action of ethylene chlorhydrin on pyridine bases and on quinoline, 1303.

- Wurtz, A., action of soluble ferments, 536.
- new alcohol from dialdane, 489.
- preparation of aldol, 488.
- Wyrouboff, G., a curious case of isomorphous admixture, 146.
- the geometrical relations which exist between many alkaline chromates, also between alkaline sulphates, 147.

Z.

- Zabudsky, G., action of mercuric chloride on cast iron, 660.
- Zabudsky, J. A., estimation of combined carbon in cast iron, wrought iron, and steel, 427.
- Zacharias, E., chemical nature of the cyto blast, 422.
- Zander, A., specific volume of liquids, 1259.
- Zecchini, M., test for distinguishing cotton-seed oil from olive oil, 662.
- Zehenter, J., derivatives of α -dihydroxybenzoic acid, 193.
- Zeitler. See Weyl.
- Zenger, C. V., spectroscopic observations with monochromatic light, 677.
- Zepharovich, V. v., forms of dibromocamphor, 865.
- Ziegler, estimation of sulphuric acid, 894.
- Ziemer, H., the highest daily rainfall in Germany, 87.
- Zimmermann, C., properties and atomic weight of uranium, 1031.
- uranium, 1269.
- vapour-density of uranium tetrabromide and chloride, 143.
- Zimmermann, J., action of ethyl chloracetate on phenylenediamine, 957.
- Zimmermann. See also Michler.
- Zincke, T., action of amines on quinones, 735, 967.
- Zincke. See also Breuer.
- Zorn, W., basicity of hyponitrous acid, 926.
- new method of preparing hyponitrous acid, 1027.
- Züblin, H., the halogens, 7.
- Zulkowsky, C., constituents of corallin, 1290.